

## Datasheet for ABIN567777

# anti-POLD2 antibody





Go to Product page

#### Overview

Quantity:	0.1 mg
Target:	POLD2
Reactivity:	Human, Rat, Mouse
Host:	Rat
Clonality:	Monoclonal
Conjugate:	This POLD2 antibody is un-conjugated
Application:	Western Blotting (WB)

### **Product Details**

Immunogen:	Recombinant full length His-Human p50
Clone:	7B4
Isotype:	lgG2a
Specificity:	This antibody reacts with DNA polymerase delta p50 small subunit (50 kDa) by Western blotting.
Purification:	Protein-G Agarose Chromatography of hybridoma supernatant.

#### **Target Details**

Target:	POLD2
Alternative Name:	POLD2 (POLD2 Products)
Background:	In eukaryotic cells, 3 types of DNA polymerases (pol), pol alpha, pol delta and pol epsilon

function in accurate and efficient DNA replication. Pol delta is a heteromultimeric enzyme composed of a 125 kDa major catalytic subunit and three smaller accessory subunits. Pol delta requires a number of accessory molecules to exert its full activity. Proliferating cell nuclear antigen (PCNA) forms a doughnut-shaped trimer with a 35 Ä hole and works as the sliding clamp and replication factor C acts as the clamp loader to improve Pol delta processivity. Pol delta is also involved in nucleotide excision repair of DNA.Synonyms: DNA polymerase delta subunit 2, DNA polymerase delta subunit p50

Gene ID: 5425

NCBI Accession: NP\_001120690

UniProt: P49005

Pathways: Telomere Maintenance, DNA Damage Repair, DNA Replication, Synthesis of DNA

#### **Application Details**

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

#### Handling

Concentration: 1.0 mg/mL


Buffer: PBS, pH 7.2 containing 50 % Glycerol without preservatives.

Preservative: Without preservative

Handling Advice: Avoid repeated freezing and thawing.

Storage: -20 °C

Storage Comment: Store the antibody (in aliquots) at -20 °C.



## **Western Blotting**

Image 1.