antibodies .- online.com





anti-FCRL2 antibody (Internal Region)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Overview	
Quantity:	0.1 mg
Target:	FCRL2
Binding Specificity:	Internal Region
Reactivity:	Human
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This FCRL2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA
Product Details	
Immunogen:	FCRL2 Antibody was raised against synthetic peptide DKTSNIVKIKVQE found at an internal region of FCRL2.
Purification:	FCRL2 Antibody was purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Target Details	
Target:	FCRL2
Alternative Name:	FCRL2 (FCRL2 Products)
Molecular Weight:	Approx 60kDa
Gene ID:	

Target Details

Storage:

Storage Comment:

Target Details		
NCBI Accession:	NP_110391	
UniProt:	Q96LA5	
Application Details		
Application Notes:	ELISA: antibody detection limit dilution 1:16000. Western Blot: Approx 60 kDa band observed in	
	lysates of Human Tonsil and of cell line Daudi (calculated MW of 55.5 kDa according to	
	NP_110391.2). Recommended concentration: 1-3μ,g/mL.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	500 μg/mL	
Buffer:	FCRL2 is supplied in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum albumin.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	

Aliquot and store at -20°C. Minimize freezing and thawing.

-20 °C