antibodies - online.com







anti-C12orf57 antibody (Biotin)



	do to i roddot page

()	11/0	K\ /	iew	1
	\cup	ועוי	$\square \vee \vee$	ı

Overview	
Quantity:	0.05 mg
Target:	C12orf57
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C12orf57 antibody is conjugated to Biotin
Application:	ELISA, Western Blotting (WB)
Product Details	
Immunogen:	Produced from sera of rabbits pre-immunized with highly pure (>98%) recombinant mC-10 (murine C-10).
Purification:	Anti-mC-10 specific antibody was purified by affinity chromatography and then biotinylated.
Target Details	
Target:	C12orf57
Alternative Name:	C-10 (C12orf57 Products)
Gene ID:	20305
UniProt:	P27784

Application Details

aaA	lication	Notes:

ELISA:

To detect mC-10 by direct ELISA (using 100 μ ,L/well antibody solution) this antibody can be used at a concentration of 0.15 - 0.30 μ ,g/mL. Used in conjunction with compatible secondary reagents, allows the detection of at least 0.2 ng/well of recombinant mC-10.

Western Blot:

To detect mC-10 by Western Blot analysis this antibody can be used at a concentration of 0.1 - 0.2 μ ,g/mL. Used in conjunction with compatible secondary reagents the detection limit for recombinant mC-10 is 1.5 - 3.0 ng/lane, under either reducing or non-reducing conditions.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Storage:	-20 °C
Storage Comment:	C-10 antibody is stable for at least 2 years from date of receipt at -20°C. The reconstituted
	antibody is stable for at least two weeks at 2-8°C. Frozen aliquots are stable for at least 6

months when stored at -20°C. Avoid repeated freeze-thaw cycles.