Datasheet for ABIN5690304 anti-TRIP12 antibody (AA 1930-1980)

antibodies .-online.com



Overview

Quantity:	0.1 mg
Target:	TRIP12
Binding Specificity:	AA 1930-1980
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRIP12 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (IF), Immunohistochemistry (Paraffin-
	embedded Sections) (IHC (p))
Product Details	
Immunogen:	TRIP12 antibody was raised against a 18 amino acid peptide near the carboxy terminus of
	human TRIP12.
	The immunogen is located within amino acids 1930 - 1980 of TRIP12.
Isotype:	lgG
Specificity:	TRIP12 antibody is human, mouse and rat reactive. At least four isoforms are known to exist.
Purification:	TRIP12 antibody is affinity chromatography purified via peptide column.
Target Details	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5690304 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Alternative Name:	TRIP12 (TRIP12 Products)
Background:	Thyroid hormone receptors (TRs) are transcription factors that regulate the expression of specific genes in a hormone-dependent manner (1). TRIP12 (thyroid hormone receptor interactor 12) is an ATP-dependent E3 ubiquitin ligase involved in the human ubiquitin fusion degradation (UFD) pathway and also modulates the NEDD8 pathway (2,3). TRIP12 contains one WWE domain and a single HECT (E6AP-type E3 ubiquitin-protein ligase) domain suggested to contain a noncovalent ubiquitin-binding site (4). TRIP12 acts as a key regulator of DNA damage response and the ubiquitin ligase activity of TRIP12 is essential for mouse development (5).
Molecular Weight:	Predicted: 219 kDa Observed: 220 kDa
Gene ID:	9320
NCBI Accession:	NP_004229
UniProt:	Q14669
Pathways: Application Details	Nuclear Hormone Receptor Binding
Application Notes:	TRIP12 antibody can be used for detection of TRIP12 by Western blot at 1 - 2 $\mu$ ,g/mL. Antibody can also be used for Immunohistochemistry starting at 5 $\mu$ ,g/mL. For immunofluorescence start at 20 $\mu$ ,g/mL.
Restrictions:	For Research Use only
Famoling	
Format:	Liquid
	1 mg/mL
Buffer:	TRIP12 antibody is supplied in PBS containing 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN5690304 | 09/10/2023 | Copyright antibodies-online. All rights reserved. Storage Comment:

TRIP12 antibody can be stored at 4°C for three months and -20°C, stable for up to one year.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN5690304 | 09/10/2023 | Copyright antibodies-online. All rights reserved.