

Datasheet for ABIN5690799

PTX3 ELISA Kit



Overview

| Quantity: | 96 tests |
|--------------|----------------|
| Target: | PTX3 |
| Reactivity: | Chicken |
| Method Type: | Sandwich ELISA |
| Application: | ELISA |

| Product Details | | |
|--------------------|---|--|
| Purpose: | Chicken Pentraxin-3/TSG-14 ELISA Kit. | |
| Sample Type: | Cell Culture Supernatant, Cell Samples, Plasma, Serum, Tissue Lysate | |
| Analytical Method: | Quantitative | |
| Detection Method: | Colorimetric | |
| Specificity: | This ELISA antibody pair recognizes Chicken Pentraxin-3. | |
| Characteristics: | Strip plates and additional reagents allow for use in multiple experiments Quantitative protein detection Establishes normal range The best products for confirmation of antibody array data | |
| Components: | Pre-Coated 96-well Strip Microplate Wash Buffer Stop Solution Assay Diluent(s) Lyophilized Standard Biotinylated Detection Antibody | |

Product Details

- Streptavidin-Conjugated HRP
- TMB One-Step Substrate

Material not included:

- · Distilled or deionized water
- Precision pipettes to deliver 2 µL to 1 µL volumes
- Adjustable 1-25 µL pipettes for reagent preparation
- 100 µL and 1 liter graduated cylinders
- Tubes to prepare standard and sample dilutions
- · Absorbent paper
- Microplate reader capable of measuring absorbance at 450nm
- · Log-log graph paper or computer and software for ELISA data analysis

Target Details

| Target: | PTX3 |
|-------------------|-------------------------------------|
| Alternative Name: | Pentraxin-3 (TSG-14 (PTX3 Products) |
| Gene ID: | 5806 |
| UniProt: | P26022 |

Application Details

| Plate: | Pre-coated Pre-coated | |
|---------------|---|--|
| Protocol: | 1. Prepare all reagents, samples and standards as instructed in the manual. | |
| | 2. Add 100 µL of standard or sample to each well. | |
| | 3. Incubate 2.5 h at RT or O/N at 4 °C. | |
| | 4. Add 100 μL of prepared biotin antibody to each well. | |
| | 5. Incubate 1 h at RT. | |
| | 6. Add 100 μL of prepared Streptavidin solution to each well. | |
| | 7. Incubate 45 min at RT. | |
| | 8. Add 100 μL of TMB One-Step Substrate Reagent to each well. | |
| | 9. Incubate 30 min at RT. | |
| | 10. Add 50 µL of Stop Solution to each well. | |
| | 11. Read at 450 nm immediately. | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Storage: | 4 °C | |
| | | |

| \vdash | land | lına |
|----------|-------|------|
| | iaria | шц |

Expiry Date:

6 months