

# Datasheet for ABIN5690809

## **IL-6 ELISA Kit**



#### Overview

Quantity:	96 tests
Target:	IL-6 (IL6)
Reactivity:	Dolphin
Method Type:	Sandwich ELISA
Application:	ELISA

Product Details				
Purpose:	Dolphin IL-6 ELISA Kit.			
Sample Type:	Cell Culture Supernatant, Cell Samples, Plasma, Serum, Tissue Lysate			
Analytical Method:	Quantitative			
Detection Method:	Colorimetric			
Specificity:	This ELISA antibody pair recognizes Dolphin IL-6.			
Characteristics:	<ul> <li>Strip plates and additional reagents allow for use in multiple experiments</li> <li>Quantitative protein detection</li> <li>Establishes normal range</li> <li>The best products for confirmation of antibody array data</li> </ul>			
Components:	<ul> <li>Pre-Coated 96-well Strip Microplate</li> <li>Wash Buffer</li> <li>Stop Solution</li> <li>Assay Diluent(s)</li> <li>Lyophilized Standard</li> <li>Biotinylated Detection Antibody</li> </ul>			

### **Product Details**

- Streptavidin-Conjugated HRP
- TMB One-Step Substrate

#### Material not included:

- · Distilled or deionized water
- Precision pipettes to deliver 2 µL to 1 µL volumes
- Adjustable 1-25 µL pipettes for reagent preparation
- 100 µL and 1 liter graduated cylinders
- Tubes to prepare standard and sample dilutions
- · Absorbent paper
- Microplate reader capable of measuring absorbance at 450nm
- · Log-log graph paper or computer and software for ELISA data analysis

### **Target Details**

Target:	IL-6 (IL6)		
Alternative Name:	IL-6 (IL6 Products)		
Pathways:	TLR Signaling, Hormone Transport, Negative Regulation of Hormone Secretion, Myometrial		
	Relaxation and Contraction, Positive Regulation of Immune Effector Process, Production of		
	Molecular Mediator of Immune Response, Regulation of Carbohydrate Metabolic Process,		
	Autophagy, Cell RedoxHomeostasis, Cancer Immune Checkpoints, Inflammasome		

### **Application Details**

Plate:	Pre-coated
Protocol:	1. Prepare all reagents, samples and standards as instructed in the manual.
	2. Add 100 µL of standard or sample to each well.
	3. Incubate 2.5 h at RT or O/N at 4 °C.
	4. Add 100 μL of prepared biotin antibody to each well.
	5. Incubate 1 h at RT.
	6. Add 100 μL of prepared Streptavidin solution to each well.
	7. Incubate 45 min at RT.
	8. Add 100 µL of TMB One-Step Substrate Reagent to each well.
	9. Incubate 30 min at RT.
	10. Add 50 μL of Stop Solution to each well.
	11. Read at 450 nm immediately.
Restrictions:	For Research Use only

## Handling

Storage:	4 °C		
Expiry Date:	6 months		