# antibodies -online.com





# Datasheet for ABIN5692201

# **CFP ELISA Kit**



### Overview

Quantity:	96 tests
Target:	CFP
Binding Specificity:	AA 28-469
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	312 pg/mL - 20000 pg/mL
Minimum Detection Limit:	312 pg/mL
Application:	ELISA

Product Details	
Purpose:	Sandwich High Sensitivity ELISA kit for Quantitative Detection of Human Properdin. 96wells/kit, with removable strips.
Brand:	PicoKine™
Sample Type:	Cell Culture Supernatant, Plasma (EDTA - heparin), Serum
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	Expression system for standard: NSO, Immunogen sequence: D28-L469
Sensitivity:	< 10 pg/mL
Components:	96-well plate precoated with antibody lyophilized recombinant standard

biotinylated antibody (dilution 1:100)

Avidin-Biotin-Peroxidase Complex(ABC)(dilution 1:100)

Sample diluent buffer

Antibody diluent buffer

ABC diluent buffer

TMB color developing agent

TMB stop solution

Adhesive cover

### **Target Details**

Target:	CFP
Alternative Name:	CFP (CFP Products)
Background:	Synonyms: Properdin, Complement factor P, CFP, PFC
	Background: Properdin or Factor P is the only known positive regulator of complement
	activation that stabilizes thealternative pathway convertases. This gene encodes a plasma
	glycoprotein that positively regulates the alternative complement pathway of the innate
	immune system. This protein binds to many microbial surfaces and apoptotic cells and
	stabilizes the C3- and C5-convertase enzyme complexes in a feedback loop that ultimately
	leads to formation of the membrane attack complex and lysis of the target cell. Mutations in
	this gene result in two forms of properdin deficiency, which results in high susceptibility to
	meningococcal infections. Multiple alternatively spliced variants, encoding the same protein,
	have been identified.
	Cellular Localisation: Secreted.
UniProt:	P27918
Pathways:	Complement System

# **Application Details**

Assay Time:	0.5 h
Plate:	Pre-coated
Restrictions:	For Research Use only

# Handling

Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for 6 months, at -20°C for 12 months. Avoid multiple freeze-thaw cycles(Shipped with wet ice.)
Expiry Date:	12 months