antibodies -online.com





Datasheet for ABIN5692206

TFF3 ELISA Kit



Overview

Quantity:	96 tests
- Quantity.	
Target:	TFF3
Binding Specificity:	AA 23-81
Reactivity:	Mouse
Method Type:	Sandwich ELISA
Detection Range:	31.2 pg/mL - 2000 pg/mL
Minimum Detection Limit:	31.2 pg/mL
Application:	ELISA
Product Details	

Product Details	
Purpose:	Sandwich High Sensitivity ELISA kit for Quantitative Detection of mouse TFF3. 96wells/kit, with removable strips.
Brand:	PicoKine™
Sample Type:	Cell Culture Supernatant, Plasma (EDTA - heparin), Serum
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	Expression system for standard: E.coli, Immunogen sequence: A23-F81
Sensitivity:	< 10 pg/mL
Components:	96-well plate precoated with antibody lyophilized recombinant standard

biotinylated antibody (dilution 1:100)

Avidin-Biotin-Peroxidase Complex(ABC)(dilution 1:100)

Sample diluent buffer

Antibody diluent buffer

ABC diluent buffer

TMB color developing agent

TMB stop solution

Adhesive cover

Pre-coated

For Research Use only

Target Details

Plate:

Restrictions:

Target:	TFF3
Alternative Name:	Tff3 (TFF3 Products)
Background:	Synonyms: Trefoil factor 3, Intestinal trefoil factor, mITF, Tff3, Itf
	Tissue Specificity: Expressed in goblet cells of the intestines and colon (at protein level).
	Expressed abundantly in goblet cells of intestine and colon, and at low levels in stomach. No
	expression in brain, lung, spleen, kidney, uterus, pancreas, liver, heart or thymus.
	Background: Trefoil factor 3 is a protein that in humans is encoded by the TFF3 gene. It is
	mapped to 21q22.3. Members of the trefoil family can interact with mucins and have an
	influence on mucus viscosity. They also promote migration of epithelial cells, are linked to
	antiapoptosis, induce cell scattering, trigger chemotaxis, and participate in immune responses.
	This gene is a marker of columnar epithelium and is expressed in a variety of tissues including
	goblet cells of the intestines and colon. It has been found that TFF3 is the most highly
	upregulated gene in 19 poorly differentiated endometrioid endometrial carcinomas (G3-EECs)
	compared with normal endometrium biopsies.
	Cellular Localisation: Secreted, extracellular space, extracellular matrix.
UniProt:	Q62395
Application Details	
Assay Time:	0.5 h

Handling

Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for 6 months, at -20°C for 12 months. Avoid multiple freeze-thaw cycles(Shipped with wet ice.)
Expiry Date:	12 months