



[Go to Product page](#)

Datasheet for ABIN5693162

anti-ASXL1 antibody

1 Image

Overview

Quantity:	100 µg
Target:	ASXL1
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ASXL1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Brand:	Picoband™
Immunogen:	A synthetic peptide corresponding to a sequence of human ASXL1 (KKERTWAEAAARLVLENYS DAPMTPKQILQVIEAE).
Sequence:	KKERTWAEAA RLVLENYS DA PMTPKQILQV IEAE
Cross-Reactivity (Details):	No cross reactivity with other proteins.
Characteristics:	Rabbit IgG polyclonal antibody for ASXL1 detection. Tested with WB in Human,Mouse,Rat.

Target Details

Target:	ASXL1
Alternative Name:	ASXL1 (ASXL1 Products)
Background:	Synonyms: Putative Polycomb group protein ASXL1, Additional sex combs-like protein 1,

Target Details

ASXL1, KIAA0978

Tissue Specificity: Widely expressed at low level. Expressed in heart, brain, skeletal muscle, placenta, pancreas, spleen, prostate, small intestine, colon, peripheral blood, leukocytes, bone marrow and fetal liver. Highly expressed in testes.

Background: Putative Polycomb group protein ASXL1 is a protein that in humans is encoded by the ASXL1 gene. This gene is similar to the Drosophila additional sex combs gene, which encodes a chromatin-binding protein required for normal determination of segment identity in the developing embryo. The protein is a member of the Polycomb group of proteins, which are necessary for the maintenance of stable repression of homeotic and other loci. The protein is thought to disrupt chromatin in localized areas, enhancing transcription of certain genes while repressing the transcription of other genes. The protein encoded by this gene functions as a ligand-dependent co-activator for retinoic acid receptor in cooperation with nuclear receptor coactivator 1. Mutations in this gene are associated with myelodysplastic syndromes and chronic myelomonocytic leukemia. Alternative splicing results in multiple transcript variants.

Pathways: [Retinoic Acid Receptor Signaling Pathway](#)

Application Details

Application Notes: Recommended Detection Systems: Enhanced Chemiluminescent Kit with anti-Rabbit IgG (ABIN921124) for Western blot.
Application Details: Western blot, 0.1-0.5 µg/mL

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Add 0.2 mL of distilled water will yield a concentration of 500 µg/mL.

Buffer: Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na₂HPO₄, 0.05 mg NaN₃.

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: At -20°C for one year. After reconstitution, at 4°C for one month.
It can also be aliquotted and stored frozen at -20°C for a longer time. Avoid repeated freezing

and thawing.

Images



Western Blotting

Image 1. Western blot analysis of ASXL1 using anti-ASXL1 antibody. Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel) / 90V (Resolving gel) for 2-3 hours. The sample well of each Lane was loaded with 50ug of sample under reducing conditions. Lane 1: human HeLa whole cell lysates, Lane 2: human COLO-320 whole cell lysates, Lane 3: human 293T whole cell lysates, Lane 4: human Jurkat whole cell lysates, Lane 5: mouse testis tissue lysates. After Electrophoresis, proteins were transferred to a Nitrocellulose membrane at 150mA for 50-90 minutes. Blocked the membrane with 5% Non-fat Milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-ASXL1 antigen affinity purified polyclonal antibody (Catalog #) at 0.5 µg/mL overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:10000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit (Catalog # EK1002) with Tanon 5200 system. A specific band was detected for ASXL1 at approximately 220KD. The expected band size for ASXL1 is at 165KD.