

Datasheet for ABIN5693607

anti-IKBKG antibody**2** Images[Go to Product page](#)

Overview

Quantity:	100 µg
Target:	IKBKG
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This IKBKG antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Flow Cytometry (FACS)

Product Details

Immunogen:	Recombinant human IKBKG / IKK Gamma.
Clone:	46B844
Isotype:	IgG1
Specificity:	Reacts with human IKBKG / IKK Gamma
Purification:	Purified (protein G)

Target Details

Target:	IKBKG
Alternative Name:	IKBKG / IKK gamma (IKBKG Products)
UniProt:	Q9Y6K9

Target Details

Pathways:	NF-kappaB Signaling, RTK Signaling, TCR Signaling, TLR Signaling, Fc-epsilon Receptor Signaling Pathway, Activation of Innate immune Response, M Phase, Production of Molecular Mediator of Immune Response, Hepatitis C, Protein targeting to Nucleus, Toll-Like Receptors Cascades, BCR Signaling, Ubiquitin Proteasome Pathway, S100 Proteins
-----------	--

Application Details

Application Notes:	Working dilution: Flo, IHC-P (10 µg/mL), WB (2 µg/mL)
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	PBS, 0.2 % gelatin, 0.05 % Sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C/-20 °C
Storage Comment:	Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles.

Images

IHC : IKBKG / IKK Gamma (46B844) antibody


(mab70378)



Anti-IBKKG / IKK Gamma antibody IHC staining of human placenta. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody mab70378 concentration 10 µg/ml.

Image 1.

**IHC : IKBKG / IKK Gamma
(46B844) antibody**
(mab70378)



Anti-IBKKG / IKK Gamma antibody IHC staining of human prostate. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody mab70378 concentration 10 ug/ml.

Image 2.