antibodies -online.com





GAD IgM ELISA Kit



Image



Go to Product page

\sim	
()\/户	rview
\circ	V I C V V

Quantity:	96 tests
Target:	GAD IgM
Reactivity:	Mouse
Method Type:	Indirect ELISA
Detection Range:	0.781 ng/mL - 50 ng/mL
Minimum Detection Limit:	0.781 ng/mL
Application:	ELISA

Product Details

Purpose:	For quantitative detection of GAD-Ab-IgM in serum, plasma, tissue homogenates.	
Sample Type:	Plasma, Serum, Tissue Homogenate	
Analytical Method:	Quantitative	
Detection Method:	Colorimetric	
Specificity:	This assay has high sensitivity and excellent specificity for detection of GAD-Ab-IgM. No significant cross- reactivity or interference between GAD-Ab-IgM and analogues was observed. Note: Limited by current skills and knowledge, it is difficult for us to complete the cross-reactivity detection between GAD-Ab-IgM and all the analogues, therefore, cross reaction may still exist.	
Sensitivity:	0.469 ng/mL	

Target Details

Target:	GAD IgM
Alternative Name: GAD-Ab-IgM (Glutamic Acid Decarboxylase Autoantibody IgM) (GAD IgM Products	
Target Type:	Antibody, Antibody
Background:	GAD-Ab-IgM

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.	
Comment:	Sandwich ELISA, Double Antibody	
Plate:	Pre-coated	
Restrictions:	For Research Use only	

Handling


Storage:	4 °C		
----------	------	--	--

Storage Comment:

- 1. For unopened kit: All the reagents should be kept according to the labels on vials. The Reference Standard and the 96-well stripe plate should be stored at -20 °C upon receipt while the other reagents should be stored at 4 °C.
- 2. For used kit: When the kit is used, the remaining reagents need to be stored according to the above storage condition. Besides, please return the unused wells to the foil pouch containing the desiccant pack, and zip-seal the foil pouch.

Expiry Date: 6 months

Images



ELISA

Image 1. A typical standard curve