## antibodies .- online.com





Datasheet for ABIN5706420

## 10X Tris-Acetate-EDTA (TAE)



Overview	
Quantity:	1 L
Product Details	
Purification:	Tris-Acetate-EDTA buffer was aseptically filtered through a Millipore 0.22 micron filter into clean, pre-sterilized containers. The product was tested on trypticase soy agar for 24 hours, 48 hours and 72 hours and was found to be negative for bacteria.
Sterility:	Aseptic filtered
Application Details	
Application Notes:	Application Note: Tris-Acetate-EDTA (TAE) is a concentrated stock solution and should be diluted appropriately with distilled, deionized water or equivalent to its final working concentration. Tris-Acetate-EDTA (TAE) consists of 0.4 M Tris-Acetate, 0.01 M EDTA at a pH of 8.5. Meticulously prepared using ultra pure reagents dissolved in highly polished pharmaceutical grade deionized water.
Comment:	Synonyms: Tris-Acetate-EDTA, (TAE), (0.4 M Tris-Acetate 0.01 M EDTA pH 8.5)  Background: Tris-Acetate-EDTA (TAE) is a buffer solution containing a mixture of Tris base, acetic acid and EDTA. TAE suitable for multiplemolecular biology applications including agarose electrophoresis for the separation of nucleic acids such as DNA and RNA.
Restrictions:	For Research Use only
Handling	
Format:	Liquid

## Handling

Concentration:	10 X
Buffer:	Buffer: See application note. Stabilizer: None
Preservative:	Without preservative
Storage:	RT
Expiry Date:	6 months