



[Go to Product page](#)

Datasheet for ABIN5706813  
**anti-Ngp antibody (C-Term)**

1 Publication

Overview

Quantity:	100 µg
Target:	Ngp (NGP)
Binding Specificity:	C-Term
Reactivity:	Mouse, Rabbit
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Ngp antibody is un-conjugated
Application:	Fluorescence Microscopy (FM), Western Blotting (WB)

Product Details

Immunogen:	Immunogen: Affinity purified Anti-Ngp antibody was prepared from whole rabbit serum produced by repeated immunizations with a recombinant protein of mouse Ngp protein. Immunogen Type: Recombinant Protein
Isotype:	IgG
Characteristics:	Synonyms: rabbit anti-Ngp antibody, Neutrophilic granule protein, Cystatin-like protein, Myeloid bacterenecin protein, Myeloid secondary granule protein Background: This antibody is designed, produced, and validated as part of a collaboration between Rockland and the National Cancer Institute (NCI). A proteomic study in 2011 determined a direct correlation between NGP mRNA levels and myeloid-derived suppressor cells. Specifically cathepsin B, a catalytic mechanism and potentially biomarker in a variety of cancers and amyloid plaque development, was inhibited by NGP. The significance of NGP as a negative regulator of tumor metastasis makes this antibody ideal for investigators involved in

## Product Details

---

cancer research, as well as Alzheimer's research.

Gene Name: Ngp

**Purification:** Anti-Ngp is directed against full-length mouse Ngp. This product is an affinity purified antibody produced by immunoaffinity chromatography using recombinant protein coupled to agarose beads. A BLAST analysis was used to suggest reactivity with this protein in Ngp based on 100% homology match for the immunogen sequence.

## Target Details

---

**Target:** Ngp (NGP)

**Alternative Name:** Ngp ([NGP Products](#))

**Gene ID:** 18054

**NCBI Accession:** [NP\\_032720](#)

## Application Details

---

**Application Notes:** Application Note: This affinity purified antibody has been tested for use in IF, and western blot. Specific conditions for reactivity should be optimized by the end user. Expect a band 39-42 kDa for non reduced and 20-27 kDa for reduced gels corresponding to Ngp by western blotting in the appropriate cell lysate or extract.  
Western Blot Dilution: 1:1000  
IF Microscopy Dilution: 1:200

**Restrictions:** For Research Use only

## Handling

---

**Format:** Liquid

**Concentration:** 1.1 mg/mL

**Buffer:** Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2  
Stabilizer: None

**Preservative:** Sodium azide

**Precaution of Use:** This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

**Storage:** 4 °C,-20 °C

## Handling

---

Expiry Date: 12 months

## Publications

---

Product cited in: Hong, Qu, Wuest, Huang, Huang, Lin: "Neutrophilic Granule Protein Is a Novel Murine LPS Antagonist." in: **Immune network**, Vol. 19, Issue 5, pp. e34, (2019) ([PubMed](#)).