

Datasheet for ABIN5706821 **anti-TNFRSF1A antibody**



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	TNFRSF1A
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TNFRSF1A antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunoprecipitation (IP), Flow Cytometry (FACS)

Product Details

Purpose:	TNF p55 Receptor Antibody
Immunogen:	Immunogen: The whole rabbit serum used to produce this IgG fraction antibody was prepared by repeated immunizations with recombinant human sTNFRp55 expressed in Chinese Hamster Cells. Immunogen Type: Recombinant Protein
Isotype:	IgG
Cross-Reactivity (Details):	This antibody is directed against the extracellular domain of the cell bound human TNFRp55.
Characteristics:	Synonyms: rabbit anti-TNFP55 Receptor Antibody, TBP1 antibody, TNFR1 antibody, TNFR55 antibody, TNFRSF1A antibody, Tumor necrosis factor alpha receptor antibody, Tumor necrosis factor receptor superfamily member 1A, Tumor necrosis factor receptor 1, TNF-R1, Tumor necrosis factor receptor type I, TNF-RI, TNFR-I, p55, p60, CD120a, Tumor necrosis factor receptor superfamily member 1A membrane form, Tumor necrosis factor-binding protein 1,

Product Details

	TBPI , TNFRSF1A, TNFAR, TNFR1
Purification:	Anti-Human TNF p55 Receptor Antibody is an IgG preparation of whole rabbit serum purified by Protein G chromatography.
Sterility:	Sterile filtered

Target Details

Target:	TNFRSF1A
Alternative Name:	TNFRSF1A (TNFRSF1A Products)
Background:	Background: Human TNF p55 Receptor Antibody recognizes TNFR1, the p55 soluble TNFR protein. sTNFRp55 is one of the two transmembrane receptors for tumor necrosis factor (TNF) with different molecular weight, 55 kD (p55) and 75 kD (p75), have been identified. The extracellular part of both receptors are shedded by proteolytic cleavage and exist as soluble receptors which bind to TNF in plasma and other biological fluids. sTNFR proteins have been implicated in certain leukemias. Anti-sTNFRp55 antibody is suitable for researchers in Cancer, Immunology, and Cell Biology.
Gene ID:	7132
UniProt:	P19438
Pathways:	NF-kappaB Signaling , Apoptosis , Caspase Cascade in Apoptosis , Hepatitis C , Ubiquitin Proteasome Pathway

Application Details

Application Notes:	Flow Cytometry Dilution: User Optimized Application Note: Anti-TNF p55 Receptor (sTNFRp55) antibody has been tested for use in ELISA, radioimmunoassays, immunoblotting, flow cytometry and immunoprecipitation. Reactivity in other immunoassays is unknown. This product has been assayed for the ability to immunoprecipitate antigen and a dilution range of 1:400 to 1:800 is suggested. For immunoprecipitation, pre-clearing with a non-specific rabbit IgG is helpful to reduce background. This product has been assayed by immunoblot and a working dilution range of 1:200 to 1:400 is suggested for this application. This product has been assayed by ELISA against soluble (extracellular) sTNFRp55 at a dilution range of 1:2,000 to 1:8,000. For use in ELISA formats, this antibody is best used as the second antibody in combination with a monoclonal antibody as a capture antibody. This product has been assayed by
--------------------	--

Application Details

	radioimmunoassay against antigen. A dilution of 1:8,000 is suggested for this immunoassay.
	Western Blot Dilution: 1:500 - 1:2,000
	Immunoprecipitation Dilution: User Optimized
	ELISA Dilution: 1:1,000 - 1:5,000
	Other: User Optimized
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1.0 mg/mL
Buffer:	Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Stabilizer: None Preservative: 0.01 % (w/v) Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store vial at -20° C prior to opening. Aliquot contents and freeze at -20° C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
Expiry Date:	12 months