



[Go to Product page](#)

Datasheet for ABIN5706919  
**SLC27A1 ELISA Kit**

### Overview

Quantity:	96 tests
Target:	SLC27A1 (FATP1)
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	0.312 ng/mL - 20 ng/mL
Minimum Detection Limit:	0.312 ng/mL
Application:	ELISA

### Product Details

Sample Type:	Plasma, Serum, Tissue Homogenate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Sensitivity:	0.116 ng/mL

### Target Details

Target:	SLC27A1 (FATP1)
Abstract:	<a href="#">FATP1 Products</a>
Background:	Alternative name: SLC27A1, ACSVL5, FATP, Long-Chain Fatty Acid Transport Protein 1, Solute Carrier Family 27 Member 1, Fatty Acid Transporter
Pathways:	<a href="#">Inositol Metabolic Process</a> , <a href="#">Regulation of Lipid Metabolism by PPARalpha</a>

## Application Details

---

Application Notes: Optimal working dilution should be determined by the investigator.

---

Comment: Pre-coated, ready to use 96-well strip plate,  
Standard (freeze dried),  
Standard Diluent,  
Detection Reagent A,  
Detection Reagent B,  
Assay Diluent A,  
Assay Diluent B,  
TMB substrate,  
Stop Solution,  
Wash Buffer(30 x concenthumane),  
Plate sealer for 96 wells,  
Instruction manual

---

Sample Volume: 100  $\mu$ L

---

Assay Time: 1 - 4.5 h

---

Plate: Pre-coated

---

Protocol:

1. Prepare all reagents, samples and standards
2. Add 100 $\mu$ L standard or sample to each well. Incubate 2 hours at 37°C
3. Aspirate and add 100 $\mu$ L prepared Detection Reagent A. Incubate 1 hour at 37°C
4. Aspirate and wash 3 times
5. Add 100 $\mu$ L prepared Detection Reagent B. Incubate 1 hour at 37°C
6. Aspirate and wash 5 times
7. Add 90 $\mu$ L Substrate Solution. Incubate 15-25 minutes at 37°C
8. Add 50 $\mu$ L Stop Solution. Read at 450nm immediately.

---

Restrictions: For Research Use only

---

## Handling

---

Storage: 4 °C

---

Expiry Date: 12 months

---