antibodies .- online.com



Datasheet for ABIN5707390

Goat anti-Mouse IgG2c Antibody (Alkaline Phosphatase (AP)) - Preadsorbed



Go to Product pag

1 Image

Overview	
Quantity:	1 mL
Target:	IgG2c
Reactivity:	Mouse
Host:	Goat
Clonality:	Polyclonal
Conjugate:	Alkaline Phosphatase (AP)
Application:	ELISA, FLISA
Product Details	
Isotype:	IgG
Isotype: Specificity:	IgG Reacts with the heavy chain of C57BL/6 mouse IgG2c
Specificity:	Reacts with the heavy chain of C57BL/6 mouse IgG2c
Specificity: Characteristics:	Reacts with the heavy chain of C57BL/6 mouse IgG2c Goat Anti-Mouse IgG2c, Human/Bovine/Horse SP ads-AP Purification Method: Affinity chromatography on mouse IgG2c covalently linked to agarose.
Specificity: Characteristics: Purification:	Reacts with the heavy chain of C57BL/6 mouse IgG2c Goat Anti-Mouse IgG2c, Human/Bovine/Horse SP ads-AP Purification Method: Affinity chromatography on mouse IgG2c covalently linked to agarose.
Specificity: Characteristics: Purification: Target Details	Reacts with the heavy chain of C57BL/6 mouse IgG2c Goat Anti-Mouse IgG2c, Human/Bovine/Horse SP ads-AP Purification Method: Affinity chromatography on mouse IgG2c covalently linked to agarose. Preadsorption: Human/Bovine/Horse SP adsorbed

Application Details

IlaaA	ication	Notes:
-------	---------	--------

- · Applications: Quality tested applications include ELISA FLISA
- Working Dilutions: ELISA Purified (UNLB) antibody 1 g/mL AP conjugate 1:2,000 1:4,000
 HRP conjugate 1:4,000 1:8,000 BIOT conjugate 1:5,000 1:20,000 FLISA FITC and AF488
 conjugates 1:100 1:400 AF555 conjugate 1:100 1:200 AF647 conjugate 1 g/mL


Restrictions:

For Research Use only

Handling

Concentration:	1.0 mg/mL
Buffer:	1.0 mg in 1.0 mL of PBS/Sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 2-8°C

Images



ELISA

Image 1. ELISA plate was coated with purified mouse IgG1, IgG2a, IgG2b, IgG2c, IgG3, IgM, and IgA. Immunoglobulins were detected with serially diluted Goat Anti-Mouse IgG2c, Human/Bovine/Horse SP ads-AP.