

Datasheet for ABIN5707483

## Rabbit anti-Goat IgG (Heavy & Light Chain) Antibody (HRP) - Preadsorbed



[Go to Product page](#)

### 1 Image

#### Overview

|                      |                     |
|----------------------|---------------------|
| Quantity:            | 1 mL                |
| Target:              | IgG                 |
| Binding Specificity: | Heavy & Light Chain |
| Reactivity:          | Goat                |
| Host:                | Rabbit              |
| Clonality:           | Polyclonal          |
| Conjugate:           | HRP                 |
| Application:         | ELISA, FLISA        |

#### Product Details

|                  |   |
|------------------|---|
| Isotype:         | IgG   |
| Specificity:     | Reacts with the heavy and light chains of goat IgG  |
| Characteristics: | Rabbit Anti-Goat IgG(H+L), Human SP ads-HRP   |
| Purification:    | <b>Purification Method:</b> Affinity chromatography on goat IgG covalently linked to agarose.<br>Preadsorption: Human SP adsorbed |

#### Target Details

|              |                              |
|--------------|------------------------------|
| Target:      | IgG                          |
| Abstract:    | <a href="#">IgG Products</a> |
| Target Type: | Antibody                     |

## Application Details

---

### Application Notes:

- **Applications:** Quality tested applications include - ELISA , FLISA
- Other referenced applications include - FC , IHC-FS , IHC-PS , ICC , WB
- **Working Dilutions:** ELISA AP conjugate 1:2,000 - 1:4,000 HRP conjugate 1:4,000 - 1:8,000 BIOT conjugate 1:5,000 - 1:20,000 FLISA FITC conjugate 1:200 - 1:400

### Restrictions:

For Research Use only

## Handling

---

### Buffer:

1.0 mL in a stock solution of 50 % glycerol/50 % PBS, pH 7.4. No preservative added

### Preservative:

Without preservative

### Storage:


4 °C, -20 °C

### Storage Comment:

Store at 2-8°C or long-term at -20°C

## Images

---



### Immunofluorescence

**Image 1.** Frozen newborn mouse rib section was stained with Goat Anti-Type II Collagen-UNLB and DAPI.