antibodies -online.com





Datasheet for ABIN570811

anti-TAF8 antibody (Internal Region)



Overview

Quantity:	100 μg
Target:	TAF8
Binding Specificity:	Internal Region
Reactivity:	Human
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This TAF8 antibody is un-conjugated
Application:	ELISA

Product Details

Purpose:	TAF8 / TAFII43
Immunogen:	Peptide with sequence KSYCEHTARTQPT, from the internal region of the protein sequence according to NP_612639.2.
Sequence:	KSYCEHTART QPT
Isotype:	IgG
Cross-Reactivity:	Cow, Dog, Human, Mouse, Rat
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Grade:	Recent

Target Details

rarget Details	
Target:	TAF8
Alternative Name:	TAF8 (TAF8 Products)
Background:	TAF8, TAF8 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 43 kDa, 43,
	FLJ32821, II, TAF, TAFII43, TBN, OTTHUMP00000016392, TAF(II)43, TAF8 RNA polymerase II,
	TATA box binding protein (TBP)-associated factor, 50 kD, TATA box binding pr
Gene ID:	129685, 63856, 316216
NCBI Accession:	NP_612639
Pathways:	Maintenance of Protein Location
Application Details	
Application Notes:	Western Blot: Preliminary experiments gave an approx 38 kDa band in Human Brain (Amygdala
	Cerebellum, Hippocampus) lysates after 1 µg/mL antibody staining. Please note that currently
	we cannot find an explanation in the literature for the band we observe
	Peptide ELISA: antibody detection limit dilution 1:16000.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied at 0.5 mg/mL in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum
	albumin.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Minimize freezing and thawing.
Storage:	-20 °C
Storage Comment:	Aliquot and store at -20°C, with minimal freeze/thawing. A working aliquot may be refrigerated
	at 4°C for a few weeks and still remain viable.