

Datasheet for ABIN570974

anti-NDUFS3 antibody (Internal Region)[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	NDUFS3
Binding Specificity:	Internal Region
Reactivity:	Human
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This NDUFS3 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Purpose:	NDUFS3
Immunogen:	C-DTRPTVRPRNDVAHK
Sequence:	DTRPTVRPRN DVAHK
Isotype:	IgG
Cross-Reactivity:	Cow, Human
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Grade:	Verified

Target Details

Target:	NDUFS3
Alternative Name:	NDUFS3 (NDUFS3 Products)
Background:	NDUFS3, NADH dehydrogenase (ubiquinone) Fe-S protein 3, 30 kDa (NADH-coenzyme Q reductase)
Gene ID:	4722
NCBI Accession:	NP_004542
Pathways:	Negative Regulation of intrinsic apoptotic Signaling

Application Details

Application Notes:	Western Blot: Approx 28 kDa band observed in Human Brain (Frontal Cortex) lysates (calculated MW of 30.2 kDa according to NP_004542.1). Recommended concentration: 0.3-1 µg/mL. Peptide ELISA: antibody detection limit dilution 1:4000.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied at 0.5 mg/mL in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum albumin.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Minimize freezing and thawing.
Storage:	-20 °C
Storage Comment:	Aliquot and store at -20°C, with minimal freeze/thawing. A working aliquot may be refrigerated at 4°C for a few weeks and still remain viable.



Western Blotting

Image 1. ABIN570974 (0.3µg/ml) staining of Human Frontal Cortex lysate (35µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.