antibodies - online.com







anti-IL2RG antibody (PE)





\sim				
	$ V \cap$	r\/I	19	٨

Overview	
Quantity:	100 tests
Target:	IL2RG
Reactivity:	Human, Dog
Host:	Rat
Clonality:	Monoclonal
Conjugate:	This IL2RG antibody is conjugated to PE
Application:	Flow Cytometry (FACS)
Product Details	


Immunogen:	Human CD132-transfected cell line
Clone:	TUGh4
Isotype:	lgG2b kappa
Specificity:	The rat monoclonal antibody TUGh4 recognizes an extracellular epitope of CD132 (the common gamma chain), a 65-70 kDa type I transmembrane glycoprotein broadly expressed by most leukocytes.
Cross-Reactivity (Details):	Human, Canine (Dog)
Purification:	Purified antibody is conjugated with R-phycoerythrin (PE) under optimum conditions. Unconjugated antibody and free fluorochrome are removed by size-exclusion chromatography.

Target Details

|--|

Target Details

Alternative Name:	CD132 (IL2RG Products)	
Background:	Interleukin 2 receptor subunit gamma,CD132 / common gamma chain is an essential	
	component of receptors for IL-2, IL-4, IL-7, IL-9, IL-15, and IL-21, and it is critical for development	
	of the immune system. Its mutation causes X-linked severe combined immunodeficiency	
	disease (XSCID). CD132 is expressed on lymphocytes, NK cells, monocytes, and granulocytes.	
	Through its cytoplasmic part which contains four tyrosines and an SH2 domain, CD132	
	transcuces signal to downstream JAK/STAT pathway.,common gamma chain, IL2RG, SCIDX, IMD4	
Gene ID:	3561	
UniProt:	P31785	
Pathways:	JAK-STAT Signaling, Growth Factor Binding	
Application Details		
Application Notes:	Flow cytometry: The reagent is designed for analysis of human blood cells using 10 µL reagent	
	/ 100 μL of whole blood or 10^6 cells in a suspension. The content of a vial (1 ml) is sufficient for	
	100 tests.	
Comment:	The purified antibody is conjugated with R-Phycoerythrin (PE) under optimum conditions. The	
	conjugate is purified by size-exclusion chromatography and adjusted for direct use. No	
	reconstitution is necessary.	
Restrictions:	For Research Use only	
Handling		
Buffer:	Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Handling Advice:	The purified antibody is conjugated with R-Phycoerythrin (PE) under optimum conditions. The	
	conjugate is purified by size-exclusion chromatography and adjusted for direct use. No	
	reconstitution is necessary.	
Storage:	4 °C	
Storage Comment:	Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.	



Flow Cytometry

Image 1. Flow cytometry analysis (surface staining) of human peripheral blood with anti-CD132 (TUGh4) PE.