

Datasheet for ABIN5711607 anti-TNFRSF1A antibody (PE)

2 Images



Overview

Quantity:	100 tests
Target:	TNFRSF1A
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This TNFRSF1A antibody is conjugated to PE
Application:	Flow Cytometry (FACS)

Product Details

Purpose:	Anti-Hu CD120a PE
Immunogen:	Recombinant full length human CD120a
Clone:	H398
Isotype:	lgG2a
Specificity:	The mouse monoclonal antibody H398 recognizes the extracellular domain of CD120a, a 55 kDa receptor for tumor necrosis factor. The antibody blocks biological activity of both natural and recombinant human TNF alpha and TNF beta.
Cross-Reactivity (Details):	Human
Purification:	Purified antibody is conjugated with R-phycoerythrin (PE) under optimum conditions. Unconjugated antibody and free fluorochrome are removed by size-exclusion chromatography.


Target Details


Target:	TNFRSF1A
Alternative Name:	CD120a (TNFRSF1A Products)
Background:	TNF receptor superfamily member 1A,CD120a / TNF R1, also known as TNFR55 or TNFRSF1A
	is a 55 kDa receptor for tumor necrosis factor alpha and it is expressed in most tissues. By
	binding its trimeric ligand the CD120a protein forms trimers and the conformation change
	leads to dissociation of the inhibitory factor SODD from its intracellular death domain and in
	formation of signaling platform. CD120a can mediate apoptosis, and function as a regulator of
	inflammation. Germline mutations of the extracellular domains of this receptor were found to
	be associated with the autosomal dominant periodic fever syndrome. The impaired receptor
	clearance is thought to be a mechanism of the disease., TNF R1, TNFRSF1A, TNFR55, FPF,
	TBP1, p60
Gene ID:	7132
UniProt:	P19438
Pathways:	NF-kappaB Signaling, Apoptosis, Caspase Cascade in Apoptosis, Hepatitis C, Ubiquitin
	Proteasome Pathway
Application Details	
Application Notes:	Flow cytometry: The reagent is designed for analysis of human blood cells using 10 µL reagent
	/ 100 μL of whole blood or 10^6 cells in a suspension. The content of a vial (1 ml) is sufficient fo
	100 tests.
Restrictions:	For Research Use only
Handling	
Buffer:	Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	The purified antibody is conjugated with R-Phycoerythrin (PE) under optimum conditions. The
	conjugate is purified by size-exclusion chromatography and adjusted for direct use. No
	reconstitution is necessary.

Storage Comment:

Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.

Images





Flow Cytometry

Image 1. Flow cytometry surface staining pattern of human peripheral whole blood stained using anti-human CD120a (H398) PE antibody (10 μ L reagent / 100 μ L of peripheral whole blood).

Flow Cytometry

Image 2. Separation of human monocytes (red-filled) from lymphocytes (black-dashed) in flow cytometry analysis (surface staining) of human peripheral whole blood stained using anti-human CD120a (H398) PE antibody ($10 \mu L$ reagent / $100 \mu L$ of peripheral whole blood).