

Datasheet for ABIN5713556

IL-2 Protein (AA 21-153) (His tag)





Overview

| Overview | |
|-------------------------------|---|
| Quantity: | 100 μg |
| Target: | IL-2 (IL2) |
| Protein Characteristics: | AA 21-153 |
| Origin: | Human |
| Source: | Yeast |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This IL-2 protein is labelled with His tag. |
| Application: | SDS-PAGE (SDS) |
| Product Details | |
| Sequence: | APTSSSTKKT QLQLEHLLLD LQMILNGINN YKNPKLTRML TFKFYMPKKA TELKHLQCLE |
| | EELKPLEEVL NLAQSKNFHL RPRDLISNIN VIVLELKGSE TTFMCEYADE TATIVEFLNR |
| | WITFCQSIIS TLT |
| Purification: | SDS-PAGE |
| Purity: | > 90 % |
| Target Details | |
| Target: | IL-2 (IL2) |
| Alternative Name: | IL2 (IL2 Products) |
| Background: | Produced by T-cells in response to antigenic or mitogenic stimulation, this protein is required |
| | for T-cell proliferation and other activities crucial to regulation of the immune response. Can |
| | |

Target Details

| | stimulate B-cells, monocytes, lymphokine-activated killer cells, natural killer cells, and glioma cells. |
|-------------------|--|
| Molecular Weight: | 17.42 kDa |
| UniProt: | P60568 |
| Pathways: | JAK-STAT Signaling, Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Production of Molecular Mediator of Immune Response, Activated T Cell Proliferation |


Application Details

| Application Notes: | Optimal working dilution should be determined by the investigator. |
|--------------------|--|
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|------------------|---|
| Concentration: | 0.1-2 mg/mL |
| Buffer: | 20 mM Tris-HCl based buffer, pH 8.0 |
| Storage: | -80 °C,4 °C,-20 °C |
| Storage Comment: | Store at -20°C, for extended storage, conserve at -20°C or -80°C. Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week. |

Images



SDS-PAGE

Image 1.