



[Go to Product page](#)

Datasheet for ABIN574135  
**anti-MIA3 antibody (AA 1-120)**

3 Images

### Overview

Quantity:	50 µL
Target:	MIA3
Binding Specificity:	AA 1-120
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MIA3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunofluorescence (IF), Immunohistochemistry (IHC)

### Product Details

Brand:	IHC-plus™
Immunogen:	Recombinant protein fragment containing a sequence corresponding to a region within amino acids 1 and 120 of MIA3.  Type of Immunogen: Recombinant protein
Specificity:	Human MIA3. Predicted cross-reactivity based on amino acid sequence homology: bovine (89 %).
Purification:	Immunoaffinity purified

## Target Details

---

Target:	MIA3
Alternative Name:	TANGO / MIA3 ( <a href="#">MIA3 Products</a> )
Background:	Name/Gene ID: MIA3  Synonyms: MIA3, C219-reactive peptide, D320, KIAA0268, RP11-378J18.4, TANGO, TANGO1, UNQ6077, C219 reactive peptide
Gene ID:	375056

## Application Details


---

Application Notes:	Approved: ICC, IF (1:100 - 1:200), IHC, IHC-P (10 µg/mL), WB (1:500 - 1:3000)
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling


---

Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7, 1 % BSA, 20 % Glycerol, 0.01 % Thimerosal
Preservative:	Thimerosal (Merthiolate)
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Aliquot and store at -20°C. Avoid freeze-thaw cycles.




### Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections)

**Image 1.** Human Spleen: Formalin-Fixed, Paraffin-Embedded (FFPE)



### Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections)

**Image 2.** Human Testis: Formalin-Fixed, Paraffin-Embedded (FFPE)



### Immunohistochemistry

**Image 3.** Anti-MIA3 antibody IHC of human spleen. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 10 ug/ml.