# antibodies .- online.com





Datasheet for ABIN577697

## anti-Glutathione antibody (DyLight 550)



#### Overview

Quantity:	50 μg
Target:	Glutathione
Reactivity:	Please inquire
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Glutathione antibody is conjugated to DyLight 550
Application:	Flow Cytometry (FACS)
Product Details	
Brand:	AbX™
Immunogen:	Glutathione conjugated to Keyhole Limpet Hemocyanin
Clone:	L4H
Isotype:	lgG2a
Characteristics:	Designed for Immunofluorescence and FACS Analysis Supplied as 50 µg in PBS For use under Non-Reducing conditions
Purification:	Protein A Purified
Target Details	
Target:	Glutathione

Buffer:

Preservative:

Precaution of Use:

Target Details	
Abstract:	Glutathione Products
Target Type:	Chemical
Background:	Glutathione (GSH) is the highest concentration non-protein thiol in mammalian cells and is
	present in concentrations of 0.5 to 10 mM. GSH plays a key role in many biological processes,
	including the synthesis of proteins and DNA, the transport of amino acids, and the protection of
	cells against oxidation. Harmful hydrogen peroxide cellular levels are minimized by the enzyme
	glutathione peroxidase (GP) using GSH as a reductant. The oxidized GSH dimer, GSSG, is
	formed from GSH and peroxide by the GP reaction. An important role of GSSG in the NFkB
	activating signal cascade is suggested by the fact that the potent NFkB inducer TPA increases
	intracellular GSSG levels and GSSG/GSH ratios. AbX™ DyLight® 549-labeled Glutathione Mouse
	Monoclonal Antibody is produced from our Protein A purified anti- body by reaction with
	DyLight® 549 NHS ester. It will fluorescently label GSH-protein complexes under non-reducing
	conditions. DyLight 549 is similar to Alexa 555, Cy3 or TRITC.
Application Details	
Application Notes:	1:5-1:50 AbX™ DyLight®549- Anti-Glutathione Mouse Monoclonal
	Flow analysis of Jurkat cells using DyLight® 549 labeled monoclonal to Glutathione. DyLight®
	is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
Comment:	Designed for Immunofluorescence and FACS Analysis Supplied as 50 µg in PBS For use under
	Non-Reducing conditions
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	500 μg/mL

Sodium azide

 $500 \, \mu g/mL$  in Phosphate Buffered Saline at pH 7.2 containing 0.09 % Sodium Azide

WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.

eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a

azide-containing compounds in running water before discarding to avoid accumulation of

Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or

physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute

### Handling

	potentially explosive deposits in lead or copper plumbing.
Storage:	4 °C
Storage Comment:	Short Term: 4°C. Extended: Aliquot and freeze at -20°C