antibodies -online.com







CST11 Protein (AA 26-103) (His tag)



Image



Overview

Overview	
Quantity:	100 μg
Target:	CST11
Protein Characteristics:	AA 26-103
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CST11 protein is labelled with His tag.
Application:	SDS-PAGE (SDS)
Product Details	
Coditioneo.	MCSSHHIHHH SSCI ADDOSH WGSVDKKLEI SAMEAWVANAN AVADSI OMIL DOANKESDDK

Sequence:	MGSSHHHHHH SSGLVPRGSH MGSARKKTFL SVHEVMAVEN YAKDSLQWIT DQYNKESDDK
	YHFRIFRVLK VQRQQVNCFF SVFAVPWFEQ YKILNKSCSS D
Purity:	> 90 % by SDS - PAGE

Target Details

Target:	CST11
Alternative Name:	CST11 (CST11 Products)
Background:	The cystatin superfamily encompasses proteins that contain multiple cystatin-like sequences. Some of the members are active cysteine protease inhibitors, while others have lost or perhaps never acquired this inhibitory activity. There are three inhibitory families in the superfamily, including the type 1 cystatins (stefins), type 2 cystatins and the kininogens. The type 2 cystatin

Target Details

proteins are a class of cysteine proteinase inhibitors found in a variety of human fluids and secretions. The cystatin locus on chromosome 20 contains the majority of the type 2 cystatin genes and pseudogenes. CST11 is located in the cystatin locus and encodes an epididymal-specific protein whose specific function has not been determined. Recombinant human CST11 protein, fused to His-tag at N-terminus, was expressed in E.coli.

Molecular Weight: 11.8kDa (101aa)

NCBI Accession: NP_543020


UniProt: Q9H112

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Comment:	Denatured
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid. In 20 mM Tris-HCl buffer (pH 8.0) containing 0.4M urea, 10 % glycerol
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Can be stored at +4C short term (1-2 weeks). For long term storage, aliquot and store at -20C or -70C. Avoid repeated freezing and thawing cycles.



15% SDS-PAGE (3ug)

SDS-PAGE

Image 1.