

Datasheet for ABIN5854837
IL-6 Protein (AA 21-207) (His tag)



[Go to Product page](#)

1 Image

Overview

Quantity:	50 µg
Target:	IL-6 (IL6)
Protein Characteristics:	AA 21-207
Origin:	Dog
Source:	Baculovirus infected Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IL-6 protein is labelled with His tag.
Application:	SDS-PAGE (SDS)

Product Details

Sequence:	FPTPGPLAGD SKDDATSNLS PLTSANKVEE LIKYILGKIS ALRKEMCDKF NKCEDSKAL AENNLHLPKL EGKDGCFQSG FNQETCLTRI TTGLVEFQLH LNILQNNYEG DKENVKSVHM STKILVQMLK SKVKNQDEVT TPDPTTDASL QAILQSQDEC VKHTTIHLIL RSLEDFLQFS LRAVRIM
Purity:	> 95% by SDS-PAGE
Endotoxin Level:	< 1 EU per 1µg of protein (determined by LAL method)

Target Details

Target:	IL-6 (IL6)
Alternative Name:	IL-6 (IL6 Products)
Background:	IL6, as known as Interleukin-6, is a phosphorylated and variably glycosylated cytokine. It is secreted by T cells and macrophages to stimulate immune response during infection and after

Target Details

trauma, especially burns or other tissue damage leading to inflammation. Also, this protein can function as an anti-inflammatory molecule, as in skeletal muscle where it is secreted in response to exercise. Recombinant canine IL6, fused to His-tag at C-terminus, was expressed in insect cell and purified by using conventional chromatography techniques.


Molecular Weight:	22 kDa (195aa)
NCBI Accession:	NP_001003301
UniProt:	P41323
Pathways:	TLR Signaling , Hormone Transport , Negative Regulation of Hormone Secretion , Myometrial Relaxation and Contraction , Positive Regulation of Immune Effector Process , Production of Molecular Mediator of Immune Response , Regulation of Carbohydrate Metabolic Process , Autophagy , Cell RedoxHomeostasis , Cancer Immune Checkpoints , Inflammasome

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Liquid. In Phosphate Buffered Saline (pH 7.4) containing 10 % glycerol.
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Can be stored at +2°C to +8°C for 1 week. For long term storage, aliquot and store at -20°C to -80°C. Avoid repeated freezing and thawing cycles.



15% SDS-PAGE (3ug)

SDS-PAGE
Image 1.