

Datasheet for ABIN5954923

Mesothelin Protein (MSLN) (AA 296-580) (His tag,FITC)[Go to Product page](#)**2** Images

Overview

Quantity:	200 µg
Target:	Mesothelin (MSLN)
Protein Characteristics:	AA 296-580
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Mesothelin protein is labelled with His tag,FITC.

Product Details

Sequence:	AA 296-580
Purity:	>90 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 1.0 EU per µg by the LAL method.

Target Details

Target:	Mesothelin (MSLN)
Alternative Name:	Mesothelin (MSLN Products)
Background:	Mesothelin (MSLN) is also known as CAK1 antigen, Pre-pro-megakaryocyte-potentiating factor, which belongs to the mesothelin family. Mesothelin / MSLN can be proteolytically cleaved into the following two chains by a furin-like convertase: Megakaryocyte-potentiating factor (MPF) and the cleaved form of mesothelin. Both MPF and the cleaved form of mesothelin are N-glycosylated. Mesothelin / MSLN can interact with MUC16. The membrane-anchored forms of

Target Details

	MSLN may play a role in cellular adhesion. MPF potentiates megakaryocyte colony formation in vitro.
Molecular Weight:	33.0 kDa
Pathways:	EGFR Signaling Pathway , Positive Regulation of Peptide Hormone Secretion , Intracellular Steroid Hormone Receptor Signaling Pathway , Steroid Hormone Mediated Signaling Pathway , Carbohydrate Homeostasis , cAMP Metabolic Process , Regulation of G-Protein Coupled Receptor Protein Signaling , Positive Regulation of Endopeptidase Activity , Regulation of Carbohydrate Metabolic Process


Application Details

Restrictions:	For Research Use only
---------------	-----------------------

Handling


Format:	Lyophilized
Buffer:	PBS, pH 7.4
Handling Advice:	Please avoid repeated freeze-thaw cycles.
Storage:	-20 °C

Images



SDS-PAGE

Image 1. Fed Human Mesothelin (296-580), His Tag on under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 90 % .



ELISA

Image 2. Immobilized A MSLN MAb at 10 µg/mL (100 µL/well) can bind Fed Human Mesothelin (296-580), His Tag (ABIN5954923,ABIN6253530) with a linear range of 0.078-0.313 µg/mL (Ex.488 nm/Em.535 nm) (QC tested).