

Datasheet for ABIN5954924

Mesothelin Protein (MSLN) (AA 296-580) (Fc Tag,FITC)





Overview

Quantity:	200 μg
Target:	Mesothelin (MSLN)
Protein Characteristics:	AA 296-580
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Mesothelin protein is labelled with Fc Tag,FITC.

Product Details

Sequence:	AA 296-580
Purity:	>95 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 1.0 EU per µg by the LAL method.

Target Details

Target:	Mesothelin (MSLN)
Alternative Name:	Mesothelin (MSLN Products)
Background:	Mesothelin (MSLN) is also known as CAK1 antigen, Pre-pro-megakaryocyte-potentiating factor, which belongs to the mesothelin family. Mesothelin / MSLN can be proteolytically cleaved into
	the following two chains by a furin-like convertase: Megakaryocyte-potentiating factor (MPF)
	and the cleaved form of mesothelin. Both MPF and the cleaved form of mesothelin are N-
	glycosylated. Mesothelin / MSLN can interacts with MUC16. The membrane-anchored forms of

Target Details

	MSLN may play a role in cellular adhesion. MPF potentiates megakaryocyte colony formation in vitro.
Molecular Weight:	58.6 kDa
Pathways:	EGFR Signaling Pathway, Positive Regulation of Peptide Hormone Secretion, Intracellular
	Steroid Hormone Receptor Signaling Pathway, Steroid Hormone Mediated Signaling Pathway,
	Carbohydrate Homeostasis, cAMP Metabolic Process, Regulation of G-Protein Coupled
	Receptor Protein Signaling, Positive Regulation of Endopeptidase Activity, Regulation of
	Carbohydrate Metabolic Process


Application Details

Restrictions: For Research Use only

Handling


Format:	Lyophilized
Buffer:	PBS, pH 7.4
Handling Advice:	Please avoid repeated freeze-thaw cycles.
Storage:	-20 °C

Images



ELISA

Image 1. Immobilized A MSLN MAb at 10 μ g/mL (100 μ L/well) can bind Fed Human Mesothelin (296-580), Fc Tag (ABIN5954924,ABIN6253531) with a linear range of 0.078-0.625 μ g/mL (Ex.488 nm/Em.535 nm) (QC tested).



SDS-PAGE

Image 2. Fed Human Mesothelin (296-580), Fc Tag on under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than $95\,\%$.