# antibodies -online.com





# LAIR1 Protein (AA 22-141) (Fc Tag)

2 Images



Go to Product page

### Overview

Quantity:	100 μg
Target:	LAIR1
Protein Characteristics:	AA 22-141
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This LAIR1 protein is labelled with Fc Tag.

## **Product Details**

Sequence:	AA 22-141
Purity:	>95 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 0.1 EU per μg by the LAL method.

# **Target Details**

Target:	LAIR1
Alternative Name:	LAIR-1 (LAIR1 Products)
Background:	Leukocyte-associated immunoglobulin-like receptor-1 (LAIR-1) is constitutively expressed on
	the majority of human peripheral blood mononuclear leukocytes. LAIR-1 or CD305 is a
	transmembrane glycoprotein with a single immunoglobulin-like domain and a cytoplasmic tail
	containing two immune receptor tyrosine-based inhibitory motifs. LAIR-1 recruits SHP-1 and
	SHP-2 phosphatases upon activation, and cross-linking of the LAIR-1 antigen on natural killer

(NK) cells results in strong inhibition of NK cell-mediated cytotoxicity. Functions as an inhibitory receptor that plays a constitutive negative regulatory role on cytolytic function of natural killer (NK) cells, B-cells and T-cells. Activation by Tyr phosphorylation results in recruitment and activation of the phosphatases PTPN6 and PTPN11. It also reduces the increase of intracellular calcium evoked by B-cell receptor ligation. Diseases associated with LAIR1 include Chronic Active Epstein-Barr Virus Infection and Palindromic Rheumatism.

Molecular Weight:

40.6 kDa

# **Application Details**


Restrictions:

For Research Use only

# Handling


Format:	Lyophilized
Buffer:	50 mM Tris, 100 mM Glycine, pH 7.5
Handling Advice:	Please avoid repeated freeze-thaw cycles.
Storage:	-20 °C

#### **Images**



#### **ELISA**

**Image 1.** Immobilized Human Collagen I protein at  $2 \mu g/mL$  (100  $\mu L/well$ ) can bind Mouse LAIR-1, Mouse IgG2a Fc Tag, low endotoxin (ABIN5954988,ABIN6809980) with a linear range of 1-10 ng/mL (QC tested).



#### **SDS-PAGE**

**Image 2.** Mouse LAIR-1, Mouse IgG2a Fc Tag, low endotoxin on under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 95 % .