



Datasheet for ABIN6002583

## anti-Procollagen Type I Propeptide antibody (N-Term)



[Go to Product page](#)

### 3 Images

#### Overview

Quantity:	100 µL
Target:	Procollagen Type I Propeptide
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Procollagen Type I Propeptide antibody is un-conjugated
Application:	Immunofluorescence (fixed cells) (IF/ICC), Immunohistochemistry (IHC), Western Blotting (WB), Immunoprecipitation (IP)

#### Product Details

Purification: Protein A + Protein G affinity chromatography

#### Target Details

Target:	Procollagen Type I Propeptide
Alternative Name:	Procollagen I Propeptide ( <a href="#">Procollagen Type I Propeptide Products</a> )
UniProt:	<a href="#">P02452</a>

#### Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

## Application Details

---

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Concentration: 1 mg/mL

Buffer: 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.

Preservative: ProClin


Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: Store at 4 °C for frequent use. Aliquot and store at -20 °C for one year. Avoid repeated freeze/thaw cycles.


## Images

---




### Immunohistochemistry (Paraffin-embedded Sections)

**Image 1.** IHC-P analysis of Human Stomach Tissue, with DAB staining.



### Immunohistochemistry (Paraffin-embedded Sections)

**Image 2.** IHC-P analysis of Human Prostate Gland Tissue, with DAB staining.



### Western Blotting

**Image 3.** Western blot analysis of Rat Cerebrum lysate, using Human PINP Antibody (5 µg/ml) and HRP-conjugated Goat Anti-Mouse antibody (