

Datasheet for ABIN604871

**anti-COPS5 antibody****3** Images[Go to Product page](#)

## Overview

Quantity:	50 µL
Target:	COPS5
Reactivity:	Human, Mouse
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This COPS5 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunoprecipitation (IP)

## Product Details

Brand:	IHC-plus™
Immunogen:	Recombinant mouse COPS5. Type of Immunogen: Recombinant protein
Clone:	8H8-5
Isotype:	IgG2a
Specificity:	The full-length mouse JAB-1 gene expressed in E. coli.
Purification:	Protein G purified

## Target Details

Target:	COPS5
---------	-------

## Target Details

---

Alternative Name:	<a href="#">COPS5 / JAB1 (COPS5 Products)</a>
Background:	Name/Gene ID: COPS5  Synonyms: COPS5, 38 kDa Mov34 homolog, JAB1, Signalosome subunit 5, MOV-34, SGN5, CSN5
Gene ID:	10987
UniProt:	<a href="#">Q92905</a>
Pathways:	<a href="#">Cell Division Cycle</a>

## Application Details


---

Application Notes:	Approved: IHC, IHC-P (1:100), IP, WB  Usage: Tested in IHC-P using formalin-fixed paraffin-embedded human samples.
Comment:	Target Species of Antibody: Mouse
Restrictions:	For Research Use only

## Handling


---

Format:	Liquid
Concentration:	Lot specific
Buffer:	Phosphate buffer, pH 7.4. Carrier, preservative free.
Preservative:	Without preservative
Handling Advice:	avoid freeze thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Short term 4°C, long term aliquot and store at -20°C, avoid freeze-thaw cycles.




**Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections)**

**Image 1.** Human Brain: Formalin-Fixed, Paraffin-Embedded (FFPE)



**Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections)**

**Image 2.** Human Kidney: Formalin-Fixed, Paraffin-Embedded (FFPE)



**Immunohistochemistry**

**Image 3.** Anti-COPS5 antibody IHC of human brain. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody dilution 1:100.