

### Datasheet for ABIN610263

# anti-BAFF antibody

## 2 Publications



Go to Product page

(	۱۱/	e	r\/	Ì١		۱۸	
	, v	$\cup$	V	1	$\overline{}$	V	V

Quantity:	100 μg		
Target:	BAFF (TNFSF13B)		
Reactivity:	Human		
Host:	Mouse		
Clonality:	Monoclonal		
Conjugate:	This BAFF antibody is un-conjugated		
Application:	ELISA, Functional Studies (Func)		
Product Details			
Immunogen:	Recombinant soluble human CD257(BAFF).		
	Type of Immunogen: Recombinant protein		
Clone:	ANC2H3		
Isotype:	IgG1 kappa		
Specificity:	CD257(BAFF) in EIA and blocks binding of recombinant CD257(BAFF)-muCD8 to receptors on		
	Raji cell surface in Flow cytometry.		
Purification:	Protein A purified		
Target Details			
Target:	BAFF (TNFSF13B)		
Alternative Name:	BAFF (TNFSF13B Products)		

#### **Target Details**

Background:	Name/Gene ID: TNFSF13B				
	Family: TNF				
	Synonyms: TNFSF13B, B-cell-activating factor, BAFF, ApoL related ligand TALL-1, B-lymphocyte				
	stimulator, CD257, BLYS, Delta4 BAFF, Delta BAFF, TALL-1, TALL1, ZTNF4, THANK, B				
	lymphocyte stimulator, CD257 antigen, TNFSF20				
Gene ID:	10673				
UniProt:	Q9Y275				
Pathways:	NF-kappaB Signaling, Production of Molecular Mediator of Immune Response				
Application Details					
Application Notes:	Approved: ELISA, Func				
	Usage: Function: Blocks binding of Recombinant CD257(BAFF) to Raji cell surface.				
Comment:	Target Species of Antibody: Human				
Restrictions:	For Research Use only				
Handling					
Format:	Liquid				
Concentration:	Lot specific				
Buffer:	50 mM sodium phosphate, pH 7.5, 100 mM potassium chloride, 150 mM sodium chloride,				
	0.5 mg/mL Gentamicin sulfate				
Preservative:	Gentamicin sulfate				
Precaution of Use:	This product contains Gentamicin sulfate: a POISONOUS AND HAZARDOUS SUBSTANCE which				
	should be handled by trained staff only.				
Handling Advice:	Do not freeze.				
Storage:	4 °C				

#### **Publications**

Product cited in:

Kessels, Engqvist-Goldstein, Drubin: "Association of mouse actin-binding protein 1 (mAbp1/SH3P7), an Src kinase target, with dynamic regions of the cortical actin cytoskeleton in response to Rac1 activation." in: **Molecular biology of the cell**, Vol. 11, Issue 1, pp. 393-412, (2000) (PubMed).

Cook, Urrutia, McNiven: "Identification of dynamin 2, an isoform ubiquitously expressed in rat tissues." in: **Proceedings of the National Academy of Sciences of the United States of America**, Vol. 91, Issue 2, pp. 644-8, (1994) (PubMed).