

Datasheet for ABIN611960 Goat anti-Guinea Pig IgG (Heavy & Light Chain) Antibody (DyLight 633)



Overview

Quantity:	1 mg
Target:	lgG
Binding Specificity:	Heavy & Light Chain
Reactivity:	Guinea Pig
Host:	Goat
Conjugate:	DyLight 633
Application:	Flow Cytometry (FACS), Immunofluorescence (IF)
Product Details	
Immunogen:	Purified guinea pig IgG, whole molecule
Characteristics:	Goat anti-guinea pig IgG (H&L) - Affinity Pure, DyLight 633 Conjugate.
	Fluorphore: DyLight 633 (Ex = 638 nm, Em = 658 nm).
	Fluor Protein Ratio: Moles DyLight 633 per Mole Antibody.
Purification:	Affinity purified using solid phase human IgA (H&L)
Purity:	> 95 % based on SDS-PAGE
Target Details	
Target:	lgG

 Target:
 IgG

 Abstract:
 IgG Products

 Target Type:
 Antibody

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN611960 | 07/26/2024 | Copyright antibodies-online. All rights reserved.

Application Details	
Application Notes:	This conjugate is suitable for immunomicroscopy, flow cytometry. The optimal working dilution should be determined by the investigator. Suggested starting dilution: 1:20 - 1:2,000 for most applications
Comment:	Country of Origin: Goat serum was obtained from healthy animals of US origin, under the care of a registered veterinarian.
	DyLight is a trademark of Thermo Fisher Scientific, Inc. and its subsidiaries.
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Concentration:	1.0 mg/mL
Buffer:	10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free. 0.05 % (w/v) Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.
Storage:	4 °C