

Datasheet for ABIN6121433

BDNF Protein



_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Quantity: 100 μg Target: BDNF Origin: Cow Source: Escherichia coli (E. coli) Protein Type: Recombinant Application: SDS-PAGE (SDS), Western Blotting (WB) Product Details Characteristics: Characteristics: Cow Brain Derived Neurotrophic Factor (BDNF) Protein Target Details Target: BDNF Alternative Name: Brain Derived Neurotrophic Factor (BDNF Products) Pathways: RTK Signaling, Synaptic Membrane, Feeding Behaviour, Dicarboxylic Acid Transport, Regulation of long-term Neuronal Synaptic Plasticity	O V CI VIC VV		
Origin: Cow Source: Escherichia coli (E. coli) Protein Type: Recombinant Application: SDS-PAGE (SDS), Western Blotting (WB) Product Details Characteristics: Cow Brain Derived Neurotrophic Factor (BDNF) Protein Target Details Target: BDNF Alternative Name: Brain Derived Neurotrophic Factor (BDNF Products) Pathways: RTK Signaling, Synaptic Membrane, Feeding Behaviour, Dicarboxylic Acid Transport, Regulation	Quantity:	100 μg	
Source: Escherichia coli (E. coli) Protein Type: Recombinant Application: SDS-PAGE (SDS), Western Blotting (WB) Product Details Characteristics: Cow Brain Derived Neurotrophic Factor (BDNF) Protein Target Details Target: BDNF Alternative Name: Brain Derived Neurotrophic Factor (BDNF Products) Pathways: RTK Signaling, Synaptic Membrane, Feeding Behaviour, Dicarboxylic Acid Transport, Regulation	Target:	BDNF	
Protein Type: Recombinant Application: SDS-PAGE (SDS), Western Blotting (WB) Product Details Characteristics: Cow Brain Derived Neurotrophic Factor (BDNF) Protein Target Details Target: BDNF Alternative Name: Brain Derived Neurotrophic Factor (BDNF Products) Pathways: RTK Signaling, Synaptic Membrane, Feeding Behaviour, Dicarboxylic Acid Transport, Regulation	Origin:	Cow	
Application: SDS-PAGE (SDS), Western Blotting (WB) Product Details Characteristics: Cow Brain Derived Neurotrophic Factor (BDNF) Protein Target Details Target: BDNF Alternative Name: Brain Derived Neurotrophic Factor (BDNF Products) Pathways: RTK Signaling, Synaptic Membrane, Feeding Behaviour, Dicarboxylic Acid Transport, Regulation	Source:	Escherichia coli (E. coli)	
Product Details Characteristics: Cow Brain Derived Neurotrophic Factor (BDNF) Protein Target Details Target: BDNF Alternative Name: Brain Derived Neurotrophic Factor (BDNF Products) Pathways: RTK Signaling, Synaptic Membrane, Feeding Behaviour, Dicarboxylic Acid Transport, Regulation	Protein Type:	Recombinant	
Characteristics: Cow Brain Derived Neurotrophic Factor (BDNF) Protein Target Details Target: BDNF Alternative Name: Brain Derived Neurotrophic Factor (BDNF Products) Pathways: RTK Signaling, Synaptic Membrane, Feeding Behaviour, Dicarboxylic Acid Transport, Regulation	Application:	SDS-PAGE (SDS), Western Blotting (WB)	
Target Details Target: BDNF Alternative Name: Brain Derived Neurotrophic Factor (BDNF Products) Pathways: RTK Signaling, Synaptic Membrane, Feeding Behaviour, Dicarboxylic Acid Transport, Regulation	Product Details		
Target: BDNF Alternative Name: Brain Derived Neurotrophic Factor (BDNF Products) Pathways: RTK Signaling, Synaptic Membrane, Feeding Behaviour, Dicarboxylic Acid Transport, Regulation	Characteristics:	Cow Brain Derived Neurotrophic Factor (BDNF) Protein	
Alternative Name: Brain Derived Neurotrophic Factor (BDNF Products) Pathways: RTK Signaling, Synaptic Membrane, Feeding Behaviour, Dicarboxylic Acid Transport, Regulation	Target Details		
Pathways: RTK Signaling, Synaptic Membrane, Feeding Behaviour, Dicarboxylic Acid Transport, Regulation	Target:	BDNF	
	Alternative Name:	Brain Derived Neurotrophic Factor (BDNF Products)	
of long-term Neuronal Synaptic Plasticity	Pathways:	RTK Signaling, Synaptic Membrane, Feeding Behaviour, Dicarboxylic Acid Transport, Regulation	
		of long-term Neuronal Synaptic Plasticity	
Application Details	Application Details		

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.	
Comment:	Please note that the majority of this suppliers proteins are partial length rather than full length. We recommend customers to inquire.	
Restrictions:	For Research Use only	

Handling

Format:	Liquid
Buffer:	Prior to lyophilization: PBS, pH 7.4, containing 0.01 % SKL, 1 mM DTT, 5 % Trehalose and Proclin-300.
Preservative:	Dithiothreitol (DTT), ProClin
Precaution of Use:	This product contains ProClin and Dithiothreitol (DTT): POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only.
Storage:	4 °C,-80 °C
Storage Comment:	Store at 2-8 °C for up to one month. Store at -80 °C for up to one year. Avoid repeated freeze/thaw cycles.