



[Go to Product page](#)

Datasheet for ABIN6136680  
**anti-AIFM3 antibody (AA 1-200)**

4 Images

Overview

Quantity:	100 µL
Target:	AIFM3
Binding Specificity:	AA 1-200
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AIFM3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 1-200 of human AIFM3 (NP_001018070.1).
Sequence:	MGGCFSKPKP VELKIEVLP EKERGKEELS ASGKGSPRAY QGNGTARHFH TEERLSTPHP YPSPQDCVEA AVCHVKDLEN GQMREVELGW GKVLLVKDNG EFHALGHKCP HYGAPLVKGV LSRGRVRCPW HGACFNISTG DLEDFPGLDS LHKFQVKIEK EKVVVRASKQ ALQLQRRTKV MAKCISPSAG YSSSTNVLIV
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Characteristics:	Polyclonal Antibodies
Purification:	Affinity purification

## Target Details

---

Target:	AIFM3
Alternative Name:	AIFM3 ( <a href="#">AIFM3 Products</a> )
Background:	Induces apoptosis through a caspase dependent pathway. Reduces mitochondrial membrane potential.,AIFM3,AIFL,Cell Biology & Developmental Biology,Apoptosis,AIFM3
Molecular Weight:	65 kDa/66 kDa
Gene ID:	150209
UniProt:	<a href="#">Q96NN9</a>
Pathways:	<a href="#">Positive Regulation of Endopeptidase Activity</a> , <a href="#">Cell RedoxHomeostasis</a>

## Application Details


---

Application Notes:	WB,1:500 - 1:2000,IHC,1:50 - 1:200
Restrictions:	For Research Use only

## Handling


---

Format:	Liquid
Buffer:	PBS with 0.02 % sodium azide,50 % glycerol, pH 7.3.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.




### Immunohistochemistry

**Image 1.** Immunohistochemistry of paraffin-embedded mouse brain using antibody (ABIN6129960, ABIN6136680, ABIN6136681 and ABIN6224707) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.



### Western Blotting

**Image 2.** Western blot analysis of extracts of various cell lines, using antibody (ABIN6129960, ABIN6136680, ABIN6136681 and ABIN6224707) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (ABIN1684268 and ABIN3020597) at 1:10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3 % nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 90s.



### Immunohistochemistry

**Image 3.** Immunohistochemistry of paraffin-embedded rat kidney using antibody (ABIN6129960, ABIN6136680, ABIN6136681 and ABIN6224707) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN6136680.