



[Go to Product page](#)

Datasheet for ABIN6137737

anti-C17orf70 antibody (AA 652-881)

1 Image

Overview

Quantity:	100 µL
Target:	C17orf70 (C17ORF70)
Binding Specificity:	AA 652-881
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C17orf70 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 652-881 of human C17orf70 (NP_079437.5).
Sequence:	CLRFPGLAPP HTRAPSPLGP TRDPVATFLE TCREPGSQPA GPASLRAEYL PPSVASIKVS AELLRAALKD GHSGVPLCCA TLQWLLAENA AVDVVRARAL SSIQGVAPDG ANVHLIVREV AMTDLCPAGP IQAVEIQVES SSLADICRAH HAVVGRMQTM VTEQATQGSS APDLRVQYLR QIHANHETLL REVQTLRDRL CTEDEASSCA TAQRLLQVYR QLRHPSLILL
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Characteristics:	Polyclonal Antibodies
Purification:	Affinity purification

Target Details


Target:	C17orf70 (C17ORF70)
Alternative Name:	C17orf70 (C17ORF70 Products)
Background:	FAAP100 is a component of the Fanconi anemia (FA, MIM 277650) core complex and is required for core complex stability and FANCD2 (see MIM 227646) monoubiquitination (Ling et al., 2007 [PubMed 17396147]).[supplied by OMIM, Mar 2008],FAAP100,C17orf70,Epigenetics & Nuclear Signaling,DNA Damage & Repair,C17orf70
Molecular Weight:	27 kDa/77 kDa/93 kDa
Gene ID:	80233
UniProt:	Q0VG06

Application Details

Application Notes:	WB,1:500 - 1:2000
Comment:	HIGH QUALITY
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	PBS with 0.02 % sodium azide,50 % glycerol, pH 7.3.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.



Western Blotting

Image 1. Western blot analysis of extracts of various cell lines, using C17orf70 antibody.