antibodies -online.com







anti-FGF14 antibody (AA 1-252)

 $100 \, \mu L$



Images



()	11	\sim	rv		۱ ۸
	1 \ /	┙	I \/	╙	1/1

Quantity:

Characteristics:

Purification:

Target:	FGF14		
Binding Specificity:	AA 1-252		
Reactivity:	Human		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This FGF14 antibody is un-conjugated		
Application:	Western Blotting (WB)		
Product Details			
lmmunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 1-252 of		
	human FGF14 (NP_787125.1).		
Sequence:	MVKPVPLFRR TDFKLLLCNH KDLFFLRVSK LLDCFSPKSM WFLWNIFSKG THMLQCLCGK		
	SLKKNKNPTD PQLKGIVTRL YCRQGYYLQM HPDGALDGTK DDSTNSTLFN LIPVGLRVVA		
	IQGVKTGLYI AMNGEGYLYP SELFTPECKF KESVFENYYV IYSSMLYRQQ ESGRAWFLGL		
	NKEGQAMKGN RVKKTKPAAH FLPKPLEVAM YREPSLHDVG ETVPKPGVTP SKSTSASAIM		
	NGGKPVNKSK TT		
Isotype:	IgG		
Cross-Reactivity:	Reactivity: Human, Mouse, Rat		

Polyclonal Antibodies

Affinity purification

Target Details


Target:	FGF14	
Alternative Name:	FGF14 (FGF14 Products)	
Background:	The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF family members possess broad mitogenic and cell survival activities, and are involved in a variety of biological processes, including embryonic development, cell growth, morphogenesis, tissue repair, tumor growth and invasion. A mutation in this gene is associated with autosomal dominant cerebral ataxia. Alternatively spliced transcript variants have been found for this gene.,FGF14,FGF-14,FHF-4,FHF4,SCA27,Signal Transduction,Cell Biology & Developmental Biology,Growth factor,Neuroscience,FGF14	
Molecular Weight:	27 kDa/28 kDa	
Gene ID:	2259	
UniProt:	Q92915	

Application Details

Application Notes:


Comment:	HIGH QUALITY
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS with 0.02 % sodium azide,50 % glycerol, pH 7.3.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.

WB,1:500 - 1:2000




Western Blotting

Image 1. FGF14-AS2 regulates FGF14 expression by sponging miR-370-3p.a Left: The putative miR-370-3p binding site in the 3'-UTR of FGF14 and the designed mutant sequence. Right: Luciferase reporter assay in HEK 293T cells transfected with pGL3-FGF14-3'-UTR (WT or Mut) and miR-370-3p mimic. b Relative FGF14 mRNA and protein levels in MDA-MB-231 cells transfected with miR-370-3p mimic or its negative control. c Spearman correlation analysis of the association between miR-370-3p and FGF14 expression levels in 45 breast cancer tissues. d, e qRT-PCR determination of miR-370-3p (d) and western blotting analysis of FGF14 (e) expression levels in MDA-MB-231 cells co-transfected with pLVX-FGF14-AS2 and miR-370-3p mimic, or with pLVX-FGF14-AS2 and mimic NC. f Wound healing assays of the migration abilities of MDA-MB-231 cells after co-transfection with pLVX-FGF14-AS2 and miR-370-3p mimic, or with pLVX-FGF14-AS2 and mimic NC. Scale bar: 200µm. g Transwell assays of the migratory and invasive abilities of MDA-MB-231 cells after co-transfection with pLVX-FGF14-AS2 and miR-370-3p mimic, or with pLVX-FGF14-AS2 and mimic NC. Scale bar: 100µm. Data are the mean±SD of three independent experiments. *P<0.05, **P<0.01, ***P<0.001, ****P<0.0001. NS, no significant difference. figure provided by CiteAb. PMID33083023



Immunofluorescence

Image 2. Immunofluorescence analysis of U2OS cells using FGF14 antibody.



Western Blotting

Image 3. Western blot analysis of extracts of various cell lines, using FGF14 antibody.

Please check the product details page for more images. Overall 6 images are available for ABIN6140592.