antibodies - online.com









Image



()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷


Quantity:	100 μL
Target:	HOXC4
Binding Specificity:	AA 30-130
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HOXC4 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

- Toddet Details	
Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 30-130 of human HOXC4 (NP_055435.2).
Sequence:	PEHSPEYYGR TRESGFQHHH QELYPPPPPR PSYPERQYSC TSLQGPGNSR GHGPAQAGHH HPEKSQSLCE PAPLSGASAS PSPAPPACSQ PAPDHPSSAA S
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Characteristics:	Polyclonal Antibodies
Purification:	Affinity purification

Target Details

Target:	HOXC4	
Alternative Name:	HOXC4 (HOXC4 Products)	
Background:	This gene belongs to the homeobox family of genes. The homeobox genes encode a highly conserved family of transcription factors that play an important role in morphogenesis in all multicellular organisms. Mammals possess four similar homeobox gene clusters, HOXA, HOXB, HOXC and HOXD, which are located on different chromosomes and consist of 9 to 11 genes arranged in tandem. This gene, HOXC4, is one of several homeobox HOXC genes located in a cluster on chromosome 12. Three genes, HOXC5, HOXC4 and HOXC6, share a 5' non-coding exon. Transcripts may include the shared exon spliced to the gene-specific exons, or they may include only the gene-specific exons. Two alternatively spliced variants that encode the same protein have been described for HOXC4. Transcript variant one includes the shared exon, and transcript variant two includes only gene-specific exons.,HOXC4,HOX3,HOX3E,cp19,Epigenetics & Nuclear Signaling,Transcription Factors,HOXC4	
Molecular Weight:	29 kDa	
Gene ID:	3221	
UniProt:	P09017	
Application Details		
Application Notes:	WB,1:500 - 1:2000	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS with 0.02 % sodium azide,50 % glycerol, pH 7.3.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.	



Western Blotting

Image 1. Western blot analysis of extracts of various cell lines, using HOXC4 antibody (ABIN6129027, ABIN6141951, ABIN6141953 and ABIN6224845) at 1:3000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (ABIN1684268 and ABIN3020597) at 1:10000 dilution. Lysates/proteins: 25 μg per lane. Blocking buffer: 3 % nonfat dry milk in TBST. Detection: ECL Enhanced Kit (RM00021). Exposure time: 300s.