



Datasheet for ABIN6144417
anti-NCOA7 antibody (AA 1-90)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	NCOA7
Binding Specificity:	AA 1-90
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NCOA7 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 1-90 of human NCOA7 (NP_861447.3).
Sequence:	MDTKEEKKER KQSYFARLKK KKQAKQNAET ASAVATRTHT GKEDNNTVVL EPDKCNIAVE EEYMTDEKKEK RKSNNLKEIR RTELKRYYSI
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Characteristics:	Polyclonal Antibodies

Target Details

Target:	NCOA7
---------	-------

Target Details


Alternative Name:	NCOA7 (NCOA7 Products)
Background:	Enhances the transcriptional activities of several nuclear receptors. Involved in the coactivation of different nuclear receptors, such as ESR1, THRB, PPARG and RARA.,NCOA7,ERAP140,ESNA1,NCOA7-AS,Nbla00052,Nbla10993,TLDC4,dJ187J11.3,Epigenetics & Nuclear Signaling,Nuclear Receptor Signaling,Nuclear hormone receptors,Signal Transduction,NCOA7
Molecular Weight:	12 kDa/25 kDa/28 kDa/33 kDa/92 kDa/104 kDa/106 kDa
Gene ID:	135112
UniProt:	Q8NI08
Pathways:	Nuclear Hormone Receptor Binding

Application Details

Application Notes:	WB,1:500 - 1:2000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	PBS with 0.02 % sodium azide,50 % glycerol, pH 7.3.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.



Western Blotting

Image 1. Western blot analysis of extracts of various cell lines, using NCO antibody (ABIN6129655, ABIN6144417, ABIN6144418 and ABIN6217922) at 1:3000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (ABIN1684268 and ABIN3020597) at 1:10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3 % nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 60s.