

Datasheet for ABIN6146174  
**anti-PRKAB1 antibody (AA 1-80)**



[Go to Product page](#)

3 Images

## Overview

Quantity:	100 µL
Target:	PRKAB1
Binding Specificity:	AA 1-80
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PRKAB1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF)

## Product Details

Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 1-80 of human AMPKbeta1 (NP_006244.2).
Sequence:	MGNTSSERAA LERHGGHKTP RRDSSGGTKD GDRPKILMDS PEDADLFHSE EIKAPEKEEF LAWQHDLEVN DKAPAQARPT
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Characteristics:	Polyclonal Antibodies

## Target Details

Target:	PRKAB1
---------	--------

## Target Details

---

Alternative Name: PRKAB1 ([PRKAB1 Products](#))

---

Background: The protein encoded by this gene is a regulatory subunit of the AMP-activated protein kinase (AMPK). AMPK is a heterotrimer consisting of an alpha catalytic subunit, and non-catalytic beta and gamma subunits. AMPK is an important energy-sensing enzyme that monitors cellular energy status. In response to cellular metabolic stresses, AMPK is activated, and thus phosphorylates and inactivates acetyl-CoA carboxylase (ACC) and beta-hydroxy beta-methylglutaryl-CoA reductase (HMGCR), key enzymes involved in regulating de novo biosynthesis of fatty acid and cholesterol. This subunit may be a positive regulator of AMPK activity. The myristoylation and phosphorylation of this subunit have been shown to affect the enzyme activity and cellular localization of AMPK. This subunit may also serve as an adaptor molecule mediating the association of the AMPK complex.,PRKAB1,AMPK,HAMPKb,Cancer,Signal Transduction,Kinase,Serine/threonine kinases,PI3K-Akt Signaling Pathway,Cell Biology & Developmental Biology,Autophagy,Endocrine & Metabolism,Lipid Metabolism,AMPK Signaling Pathway,Insulin Receptor Signaling Pathway,Warburg Effect,Cardiovascular,Lipids,Fatty Acids,Regulator of mTOR complex function,Regulators,PRKAB1

---

Molecular Weight: 30 kDa

---

Gene ID: 5564

---

UniProt: [Q9Y478](#)

---

Pathways: [AMPK Signaling](#), [Warburg Effect](#)

---

## Application Details

---

Application Notes: WB,1:500 - 1:2000,IF,1:50 - 1:100

---

Comment: HIGH QUALITY

---

Restrictions: For Research Use only

---

## Handling

---

Format: Liquid

---

Buffer: PBS with 0.02 % sodium azide,50 % glycerol, pH 7.3.

---

Preservative: Sodium azide

---

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which

---


## Handling

should be handled by trained staff only.

Storage: -20 °C


Storage Comment: Store at -20°C. Avoid freeze / thaw cycles.

## Images




### Immunofluorescence

**Image 1.** Immunofluorescence analysis of NIH-3T3 cells using AMPK $\beta$ 1 Polyclonal Antibody (ABIN6129906, ABIN6146174, ABIN6146176 and ABIN7101403) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



### Immunohistochemistry (Paraffin-embedded Sections)

**Image 2.** Immunohistochemistry of paraffin-embedded human esophagus using PRKAB1 antibody.



### Western Blotting

**Image 3.** Western blot analysis of extracts of various cell lines, using PRKAB1 antibody.