antibodies.com

Datasheet for ABIN615251 anti-TLR3 antibody (C-Term)

5 Images



Overview

Quantity:	50 µg
Target:	TLR3
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TLR3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)

Product Details

Immunogen:	TLR3 antibody was raised against synthetic peptide - KLH conjugated
Specificity:	This antibody reacts to Toll-like Receptor 3 (TLR3).
Purification:	Ion Exchange Chromatography


Target Details

Target:	TLR3
Alternative Name:	CD283 / TLR3 (TLR3 Products)
Background:	Synonyms: Toll-like receptor 3
Gene ID:	7098

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN615251 | 09/12/2023 | Copyright antibodies-online. All rights reserved.


Target Details	
NCBI Accession:	NP_003256
UniProt:	015455
Pathways:	TLR Signaling, Activation of Innate immune Response, Hepatitis C, Toll-Like Receptors Cascades
Application Details	
Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Buffer:	PBS containing 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store the antibody undiluted at 2-8 °C.

Images



Immunofluorescence

Image 1. Immunocytochemistry of TLR3 in EL4 cells with TLR3 antibody at 1 μ g/ml.



Immunohistochemistry (Paraffin-embedded Sections)

Image 2. Human Brain, Cerebellum (formalin-fixed, paraffinembedded) stained with TLR3at 5 µg/ml followed by biotinylated goat anti-rabbit IgG secondary antibody, alkaline phosphatase-streptavidin and chromogen.

Immunohistochemistry (Paraffin-embedded Sections)

Image 3. Human Pancreas (formalin-fixed, paraffinembedded) stained with TLR3at 5 µg/ml followed by biotinylated goat anti-rabbit IgG secondary antibody, alkaline phosphatase-streptavidin and chromogen.

Please check the product details page for more images. Overall 5 images are available for ABIN615251.