# antibodies -online.com





# Datasheet for ABIN6169697

# anti-CPK antibody



#### Overview

Quantity:	100 μL
Target:	CPK
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CPK antibody is un-conjugated
Application:	Immunofluorescence (IF), Flow Cytometry (FACS), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Immunogen:  Clone:  2ba6  Isotype:  IgG1 kappa  Characteristics:  Creatine kinases (CK) are a large family of isoenzymes that regulate levels of ATP in subcellular compartments, where they provide ATP at sites of fluctuating energy demand by the transfer of phosphates between creatine and adenine nucleotides. CKs provide the energy of phosphate hydrolysis necessary to drive the normal function of many cellular systems. In cells, the cytosolic CK enzymes consist of two subunits, which can be either B (brain type) or M (muscle type). There are three different isoenzymes: CKMM, CKBB and CKMB. This MAb recognizes the CKBB isoenzyme and does not react with the B subunit in CKMB. It shows minimal reactivity	Purpose:	Mouse Monoclonal anti-Creatine Phosphokinase (2ba6), Purified, with BSA
Isotype: IgG1 kappa  Characteristics: Creatine kinases (CK) are a large family of isoenzymes that regulate levels of ATP in subcellular compartments, where they provide ATP at sites of fluctuating energy demand by the transfer of phosphates between creatine and adenine nucleotides. CKs provide the energy of phosphate hydrolysis necessary to drive the normal function of many cellular systems. In cells, the cytosolic CK enzymes consist of two subunits, which can be either B (brain type) or M (muscle type). There are three different isoenzymes: CKMM, CKBB and CKMB. This MAb recognizes the	Immunogen:	Human CKBB protein
Characteristics: Creatine kinases (CK) are a large family of isoenzymes that regulate levels of ATP in subcellular compartments, where they provide ATP at sites of fluctuating energy demand by the transfer of phosphates between creatine and adenine nucleotides. CKs provide the energy of phosphate hydrolysis necessary to drive the normal function of many cellular systems. In cells, the cytosolic CK enzymes consist of two subunits, which can be either B (brain type) or M (muscle type). There are three different isoenzymes: CKMM, CKBB and CKMB. This MAb recognizes the	Clone:	2ba6
compartments, where they provide ATP at sites of fluctuating energy demand by the transfer of phosphates between creatine and adenine nucleotides. CKs provide the energy of phosphate hydrolysis necessary to drive the normal function of many cellular systems. In cells, the cytosolic CK enzymes consist of two subunits, which can be either B (brain type) or M (muscle type). There are three different isoenzymes: CKMM, CKBB and CKMB. This MAb recognizes the	Isotype:	IgG1 kappa
	Characteristics:	compartments, where they provide ATP at sites of fluctuating energy demand by the transfer of phosphates between creatine and adenine nucleotides. CKs provide the energy of phosphate hydrolysis necessary to drive the normal function of many cellular systems. In cells, the cytosolic CK enzymes consist of two subunits, which can be either B (brain type) or M (muscle type). There are three different isoenzymes: CKMM, CKBB and CKMB. This MAb recognizes the

## **Product Details**

with other human serum proteins Primary antibodies are available purified, or with a selection of fluorescent CF® dyes and other labels. CF® dyes offer exceptional brightness and photostability. Note: Conjugates of blue fluorescent dyes like CF®405S and CF®405M are not recommended for detecting low abundance targets, because blue dyes have lower fluorescence and can give higher non-specific background than other dye colors.

Purification:

Purified

# **Target Details**

Target:	CPK
Alternative Name:	Creatine Phosphokinase (CPK Products)
Molecular Weight:	43 kDa (Monomer), 86 kDa (Dimer)
Gene ID:	1152, 173724
UniProt:	P12277

## **Application Details**

Application Notes:

Immunohistology Frozen Only 0.5-1.0 μg/mL

- Immunofluorescence 0.5-1 μg/mL
- Flow Cytometry 0.5-1 µg/million cells/0.1 mL
- · Predicted to show broad species reactivity
- · Optimal dilution for a specific application should be determined by user

Comment:

Cerebellum

Restrictions:

For Research Use only

#### Handling

Format:	Liquid
Concentration:	200 μg/mL
Buffer:	PBS/0.05 % BSA/0.05 % azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn | International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com | Page 2/2 | Product datasheet for ABIN6169697 | 09/10/2023 | Copyright antibodies-online. All rights reserved.