

Datasheet for ABIN6231644

OXT ELISA Kit



| Ovor | 110141 |
|------|--------|

| Overview | |
|--------------------------|---|
| Quantity: | 96 tests |
| Target: | OXT |
| Reactivity: | Human |
| Method Type: | Sandwich ELISA |
| Detection Range: | 0.313 ng/mL - 20 ng/mL |
| Minimum Detection Limit: | 0.313 ng/mL |
| Application: | ELISA |
| Product Details | |
| Purpose: | Human Oxytocin-neurophysin 1 (OXT) ELISA Kit is an ELISA Kit against Oxytocin-neurophysin 1 |
| | (OXT). |
| Sample Type: | Plasma, Serum, Tissue Homogenate |
| Analytical Method: | Quantitative |
| Detection Method: | Colorimetric |
| Sensitivity: | < 0.188 ng/mL |
| Target Details | |
| Target: | OXT |
| Alternative Name: | Oxytocin-neurophysin 1 (OXT) (OXT Products) |
| UniProt: | P01178 |
| | |

Target Details

| Pathways: | Myometrial Relaxation and Contraction, Feeding Behaviour |
|---------------------|--|
| Application Details | |
| Application Notes: | Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized |
| Plate: | Pre-coated |
| Restrictions: | For Research Use only |
| Handling | |

| Storage: | 4 °C/-20 °C |
|------------------|---|
| Storage Comment: | Upon receipt, store the kit according to the storage instruction in the kit's manual. |
| Expiry Date: | 6 months |