

Datasheet for ABIN6239799

IL1R1 Protein (AA 119-217) (His tag)



[Go to Product page](#)

Overview

Quantity:	50 µg
Target:	IL1R1
Protein Characteristics:	AA 119-217
Origin:	Rat
Source:	Escherichia coli (E. coli)
Biological Activity:	Active
Purification tag / Conjugate:	This IL1R1 protein is labelled with His tag.
Application:	Cell Culture (CC), Activity Assay (AcA)

Product Details

Characteristics:	Tag location: N-terminal His Tag
Purity:	> 97 %
Biological Activity Comment:	IL1R1 (Interleukin 1 Receptor Type I), also known as CD121a, is an important mediator involved in many cytokine induced immune and inflammatory responses. It belongs to the interleukin-1 receptor family, and is a receptor for interleukin 1 alpha (IL1A), interleukin 1 beta (IL1B), and interleukin 1 receptor antagonist (IL1RA). Besides, mouse IL1B shares 87.0% AA sequence identity with rat IL1B, suggesting the exist of cross-species activity. Thus, a binding ELISA assay was constructed to detect the association of recombinant rat IL1R1 with recombinant mouse IL1B. Briefly, IL1R1 were diluted serially in PBS with 0.1%BSA (pH 7.4). Duplicate samples of 100uL were then transferred to IL1B-coated microtiter wells and incubated for 2h at 37°C. Wells were washed with PBST and incubated for 1h with anti-IL1R1 pAb, then aspirated and washed 3 times. After incubation with HRP labelled secondary antibody, wells were aspirated and washed

Product Details

3 times. With the addition of substrate solution, wells were incubated 15-25 minutes at 37°C. Finally, add 50µL stop solution to the wells and read at 450nm immediately. The binding activity of IL1R1 with IL1B was shown in Figure 1 and this effect was in a dose dependent manner The binding activity of IL1R1 with IL1B.

Target Details

Target:	IL1R1
Alternative Name:	Interleukin 1 Receptor Type I (IL1R1) (IL1R1 Products)
Background:	Alternative Names: CD121a, CD121-A, IL1-R1, IL1R, IL1RA, P80, CD121 Antigen-Like Family Member A, Interleukin-1 Receptor Alpha
Molecular Weight:	13kDa
Pathways:	NF-kappaB Signaling , Carbohydrate Homeostasis , Cancer Immune Checkpoints

Application Details

Application Notes:	Isoelectric Point: 6.7
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Buffer:	20 mM Tris, 150 mM NaCl, pH 8.0, containing 1 mM EDTA, 1 mM DTT, 0.01 % SKL, 5 % Trehalose and Proclin300.
Preservative:	Dithiothreitol (DTT), Other preservative, ProClin
Precaution of Use:	This product contains ProClin and Dithiothreitol (DTT): POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only.