# antibodies -online.com





# anti-TBL1XR1 antibody

3 Images



Go to Product page

( )	1 /	$\sim$	KI /	110	Νę
	1//	$\vdash$	I \/	1 ←	٠// ٢

Quantity:	100 μL		
Target:	TBL1XR1		
Reactivity:	Human, Mouse		
Host:	Mouse		
Clonality:	Monoclonal		
Conjugate:	This TBL1XR1 antibody is un-conjugated		
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)		
Product Details			
Immunogen:	Recombinant Protein		
Target Details			
Target:	TBL1XR1		
Alternative Name:	TBLR1 (TBL1XR1 Products)		
Background:	F-box-like protein involved in the recruitment of the ubiquitin/19S proteasome complex to nuclear receptor-regulated transcription units. Plays an essential role in transcription activation mediated by nuclear receptors. Probably acts as integral component of the N-Cor corepressor complex that mediates the recruitment of the 19S proteasome complex, leading to the subsequent proteasomal degradation of N-Cor complex, thereby allowing cofactor exchange, and transcription activation.		
UniProt:	Q9BZK7		

## **Target Details**

Pathways:

Regulation of Lipid Metabolism by PPARalpha

## **Application Details**

Application Notes:

WB: 1:1000. IHC: 1:100. ICC: 1:200

Restrictions:

For Research Use only

#### Handling


Format:

Liquid

Storage:


4 °C,-20 °C

# **Images**




#### **Immunocytochemistry**

**Image 1.** Immunocytochemistry staining of HeLa cells fixed with 4 % Paraformaldehyde and using TBLR1 mouse mAb (dilution 1:200).



#### **Western Blotting**

**Image 2.** Western blot detection of TBLR1 in Mouse brain, Mouse heart and K562 cell lysates using TBLR1 mouse mAb (1:1000 diluted). Predicted band size: 60KDa. Observed band size: 60Kda.



#### **Immunohistochemistry**

**Image 3.** IHC of paraffin-embedded huma breast cancer using anti-TBLR1 mouse mAb diluted 1/500-1/1000