antibodies

Datasheet for ABIN6242345 anti-Flotillin 2 antibody (AA 322-356)

Image



Overview

Quantity:	200 µL
Target:	Flotillin 2 (FLOT2)
Binding Specificity:	AA 322-356
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Flotillin 2 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	This FLOT2 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 322-356 amino acids from human FLOT2.
Clone:	RB56189
Isotype:	Ig Fraction
Predicted Reactivity:	B, Rat
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.


Target Details

Target:	Flotillin 2 (FLOT2)
Alternative Name:	FLOT2 (FLOT2 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN6242345 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	May act as a scaffolding protein within caveolar membranes, functionally participating in formation of caveolae or caveolae-like vesicles. May be involved in epidermal cell adhesion and epidermal structure and function.
Molecular Weight:	47064
UniProt:	Q14254
Application Details	
Application Notes:	WB: 1:2000
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Expiry Date:	6 months

Images



Western Blotting

Image 1. All lanes : Anti-FLOT2 Antibody (C-Term) at 1:2000 dilution Lane 1: 293 whole cell lysate Lane 2: human brain lysate Lane 3: Ramos whole cell lysate Lane 4: NIH/3T3 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 47 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN6242345 | 09/10/2023 | Copyright antibodies-online. All rights reserved.