

Datasheet for ABIN6242681
anti-UTF1 antibody (C-Term)



[Go to Product page](#)

4 Images

Overview

Quantity:	400 µL
Target:	UTF1
Binding Specificity:	AA 325-359, C-Term
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UTF1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	This Mouse Utf1 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 325-359 amino acids from the C-terminal region of Mouse Utf1.
Clone:	RB52502
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	UTF1
Alternative Name:	Utf1 (UTF1 Products)
Background:	Acts as a transcriptional coactivator of ATF2.

Target Details

Molecular Weight: 36408

UniProt: [Q6J1H4](#)

Application Details

Application Notes: WB: 1:2000. WB: 1:8000. WB: 1:2000. WB: 1:1000

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C


Expiry Date: 6 months

Images




Western Blotting

Image 1. Anti-Utf1 Antibody (C-term) at 1:1000 dilution + mouse testis lysates. Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 36 kDa. Blocking/Dilution buffer: 5 % NFDN/TBST.



Western Blotting

Image 2. All lanes : Anti-Utf1 Antibody (C-term) at 1:2000 dilution Lane 1: mouse brain lysates Lane 2: mouse liver lysates Lane 3: mouse heart lysates Lane 4: mouse testis lysates Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 36 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.



Western Blotting

Image 3. Anti-Utf1 Antibody (C-term) at 1:8000 dilution + mouse heart lysates Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution Predicted band size : 36 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN6242681.