# antibodies -online.com





# anti-MAP4K1 antibody (AA 346-375)





Go to Product page

$\sim$					
	1//	r۱	/1	$\triangle$	٨

Quantity:	400 μL	
Target:	MAP4K1	
Binding Specificity:	AA 346-375	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MAP4K1 antibody is un-conjugated	
Application:	Western Blotting (WB)	

#### **Product Details**

Immunogen:	This MAP4K1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 346-375 amino acids from human MAP4K1.
Clone:	RB11320
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

## **Target Details**

Target:	MAP4K1
Alternative Name:	MAP4K1 (MAP4K1 Products)
Background:	MAP4K1 or HPKI (hematopoietic progenitor kinase I) is one of these mammalian kinases that

#### **Target Details**

have significant sequence similarity to the Saccharomyces Cerevisiae serine/threonine kinase	
STE20, which relays signals from G protein coupled receptors to cytosolic MAP kinase	
cascades. MAP4K1 may play a role in the response to environmental stress. It appears to act	
upstream of the JUN N terminal pathway. It may play a role in hematopoietic lineage decisions	
and growth regulation.	

Molecular Weight: 91296

NCBI Accession: NP\_001036065, NP\_009112

UniProt: Q92918

Pathways: TCR Signaling, Signaling of Hepatocyte Growth Factor Receptor


## Application Details

Application Notes: WB: 1:1000

Restrictions: For Research Use only

## Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Expiry Date:	6 months



#### **Western Blotting**

**Image 1.** Anti-P4K1 Antibody at 1:1000 dilution + Raji whole cell lysate Lysates/proteins at 20 μg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 91 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.