
# antibodies - online.com







# anti-HEXDC antibody (AA 135-166)



## Image



Go to	D		
	Pron	ויאווו	mane

$\sim$	
( )\/△	rview
$\cup$	1 410 44

Alternative Name:

Background:

Quantity:	200 μL
Target:	HEXDC
Binding Specificity:	AA 135-166
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HEXDC antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This HEXDC antibody is generated from a rabbit immunized with a KLH conjugated synthetic
	peptide between 135-166 amino acids from human HEXDC.
Clone:	RB55881
Isotype:	lg Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	HEXDC

**HEXDC (HEXDC Products)** 

Has hexosaminidase activity.

#### **Target Details**

Molecular Weight:	53790
UniProt:	Q8WVB3


#### **Application Details**

Application Notes:	WB: 1:2000
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Expiry Date:	6 months

#### **Images**



#### **Western Blotting**

**Image 1.** All lanes: Anti-HEXDC Antibody (N-Term) at 1:2000 dilution Lane 1: 293 whole cell lysate Lane 2: Jurkat whole cell lysate Lane 3: SH-SY5Y whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size: 54 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.