antibodies - online.com







anti-HS6ST2 antibody (C-Term)





\sim	
()\/\	rview
\cup	

Alternative Name:

Background:

Quantity:	400 μL
Target:	HS6ST2
Binding Specificity:	AA 497-530, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HS6ST2 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This HS6ST2 antibody is generated from a rabbit immunized with a KLH conjugated synthetic
	peptide between 497-530 amino acids from the C-terminal region of human HS6ST2.
Clone:	RB52098
Isotype:	lg Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	HS6ST2

6-O-sulfation enzyme which catalyzes the transfer of sulfate from 3'-phosphoadenosine 5'-

HS6ST2 (HS6ST2 Products)

Target Details

	phosphosulfate (PAPS) to position 6 of the N-sulfoglucosamine residue (GlcNS) of heparan sulfate.
Molecular Weight:	69130
UniProt:	Q96MM7
Pathways:	Glycosaminoglycan Metabolic Process, SARS-CoV-2 Protein Interactome


Application Details

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Expiry Date:	6 months

Images



Western Blotting

Image 1. Western blot analysis of lysate from NC-1 cell line, using HS6ST2 Antibody (C-term) (ABIN6244070 and ABIN6577906). (ABIN6244070 and ABIN6577906) was diluted at 1:1000. A goat anti-rabbit IgG H&L(HRP) at 1:10000 dilution was used as the secondary antibody. Lysate at 20 μ g.